

Product code	Description
<b>AS1330</b>	<b>Maxwell® RSC Viral TNA</b>

## Components:

P119G	Nuclease-Free Water
MC501C	Lysis Buffer
MC500D	Proteinase K (PK) Solution
MC149	Purified Water
K200	4/40 Wash
MC109	Ethanol Solution
K105	MagneSil® Resin A
K406	100% Isopropanol
A937	Alcohol Wash



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** Nuclease-Free Water**Article number:** P119G**CAS Number:**

7732-18-5

**EC number:**

231-791-2

**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

**Label elements****GHS label elements** Not applicable**Hazard pictograms** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable**Target Organ(s):** Not applicable or unknown**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Nuclease-Free Water**

**vPvB:** Not applicable.

(Contd. of page 1)

### \* 3 Composition/information on ingredients

**Chemical characterization: Substances**

**CAS No. Description**

7732-18-5 water

**EC number:** 231-791-2

### \* 4 First-aid measures

**Description of first aid measures**

**General information:** No special measures required.

**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### \* 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** No special advice

**Protective equipment:** No special measures required.

### \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Not required.

**Environmental precautions:** Dilute with plenty of water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Nuclease-Free Water

(Contd. of page 2)

## 7 Handling and storage

### Handling:

**Precautions for safe handling** No special measures required.

**Information about protection against explosions and fires:** The product is not flammable.

**Conditions for safe storage, including any incompatibilities**

### Storage:

**Requirements to be met by storerooms and receptacles:** Do not store below -20°C. Protected from light.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

**Components with limit values that require monitoring at the workplace:** Not required.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

**Breathing equipment:** Not required.

**Protection of hands:** Not required.

#### Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

**Eye protection:** Not required.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Odorless
<b>Odor threshold:</b>	Not determined.

#### Change in condition

<b>Melting point/Melting range:</b>	0 °C (32 °F)
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
<b>Flash point:</b>	Not applicable.

**Flammability (solid, gaseous):** Not applicable.

**Decomposition temperature:** Not determined.

**Ignition temperature:** Not determined.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: *Nuclease-Free Water*

(Contd. of page 3)

<b>Danger of explosion:</b>	<i>Product does not present an explosion hazard.</i>
<b>Explosion limits:</b>	
<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>
<b>Vapor pressure:</b>	<i>Not determined.</i>

<b>Density at 20 °C (68 °F):</b>	<i>1 g/cm<sup>3</sup> (8.345 lbs/gal)</i>
<b>Relative density</b>	<i>Not determined.</i>
<b>Vapor density</b>	<i>Not determined.</i>
<b>Evaporation rate</b>	<i>Not determined.</i>
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	<i>Fully miscible.</i>
<b>Partition coefficient (n-octanol/water):</b>	<i>Not determined.</i>
<b>Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	<i>0.0952 mPas</i>
<b>Kinematic:</b>	<i>Not determined.</i>
<b>Water:</b>	<i>100.0 %</i>
<b>VOC content:</b>	<i>0.00 %</i>

<b>Solids content:</b>	<i>0.0 %</i>
------------------------	--------------

<b>Other information</b>	<i>No further relevant information available.</i>
--------------------------	---

## \* 10 Stability and reactivity

**Reactivity** *No further relevant information available.*

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*

**Possibility of hazardous reactions** *No dangerous reactions known.*

**Conditions to avoid** *No further relevant information available.*

**Incompatible materials:** *No further relevant information available.*

**Hazardous decomposition products:** *No dangerous decomposition products known.*

## \* 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:** *No data available*

**Primary irritant effect:**

**on the skin:** *No irritant effect.*

**on the eye:** *No irritating effect.*

**Sensitization:**

*In case of skin contact: not sensitising*

*In case of inhalation: not sensitising*

**Additional toxicological information:** *The substance is not subject to classification.*

**Carcinogenic categories**

<b>IARC (International Agency for Research on Cancer)</b>
---

<i>Substance is not listed.</i>
---------------------------------

<b>NTP (National Toxicology Program)</b>
--

<i>Substance is not listed.</i>
---------------------------------

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Nuclease-Free Water**

(Contd. of page 4)

**OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## 12 Ecological information

### Toxicity

**Aquatic toxicity:** Not harmful to the aquatic environment

### Persistence and degradability

Not available

No further relevant information available.

### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

### Ecotoxicological effects:

**Remark:** Not available

### Additional ecological information:

#### General notes:

Not available.

Not known to be hazardous to water.

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

**UN-Number** Not hazardous for transportation

**DOT, ADR, ADN, IMDG, IATA** Not applicable

**UN proper shipping name** None

**DOT, ADR, IMDG, IATA** Not applicable

**ADN**

**Transport hazard class(es)** None

**DOT, ADR, ADN, IMDG, IATA**

**Class** Not applicable

**Packing group** None

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Nuclease-Free Water

(Contd. of page 5)

<b>DOT, ADR, IMDG, IATA</b>	Not applicable
-----------------------------	----------------

**Environmental hazards:**

<b>Marine pollutant:</b>	No
--------------------------	----

<b>Special precautions for user</b>	Not applicable.
-------------------------------------	-----------------

<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
--	-----------------

<b>UN "Model Regulation":</b>	Not applicable
-------------------------------	----------------

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

**Section 355 (extremely hazardous substances):**

Substance is not listed.

**Section 313 (Specific toxic chemical listings):**

Substance is not listed.

**TSCA (Toxic Substances Control Act) Inventory:**

ACTIVE

**Hazardous Air Pollutants**

Substance is not listed.

**Proposition 65****Chemicals known to cause cancer:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

**Chemicals known to cause developmental toxicity:**

Substance is not listed.

**New Jersey Right-to-Know List:**

Substance is not listed.

**Pennsylvania Right-to-Know List:**

Substance is not listed.

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

Substance is not listed.

**TLV (Threshold Limit Value)**

Substance is not listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

**GHS label elements** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable

(Contd. on page 7)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Nuclease-Free Water**

(Contd. of page 6)

### Chemical safety assessment

**Water hazard class:** Generally not hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation  
 Chemical Regulatory Department  
 2800 Woods Hollow Road  
 Madison, WI  
 Ph: (608)274-4330  
 chemicalregulatory@promega.com

### Contact:

**Date of preparation / last revision** 07/05/2023

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** Lysis Buffer**Article number:** MC501C**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS07

**Signal word** Warning**Hazard-determining components of labeling:**

guanidinium chloride

sodium dodecyl sulphate

**Hazard statements**

Harmful if swallowed or if inhaled.

Causes skin irritation.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: **Lysis Buffer**

(Contd. of page 1)

*Causes serious eye irritation.*

**Precautionary statements**

*Avoid breathing dust/fume/gas/mist/vapors/spray*

*Wash thoroughly after handling.*

*Do not eat, drink or smoke when using this product.*

*Use only outdoors or in a well-ventilated area.*

*Wear eye protection / face protection.*

*If swallowed: Call a poison center/doctor if you feel unwell.*

*If on skin: Wash with plenty of water.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Rinse mouth.*

*Take off contaminated clothing and wash it before reuse.*

*If skin irritation occurs: Get medical advice/attention.*

*If eye irritation persists: Get medical advice/attention.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 1

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = \*2

Fire = 1

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Irritant

**Primary route(s) of entry:**

Dermal

Inhalation

Oral

**Target Organ(s):**

*May affect Nervous system (Neurotoxin)*

*May cause behavioral changes*

*May affect Bones*

**Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

## 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

*The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.*

**Dangerous components:**

50-01-1	guanidinium chloride	25-50%
57-13-6	urea	25-50%
151-21-3	sodium dodecyl sulphate	1-5%

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 2)

## 4 First-aid measures

### Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Seek immediate medical advice.

#### Information for doctor:

**Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### Special hazards arising from the substance or mixture

None known

No further relevant information available.

**Advice for firefighters** No special advice

**Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

#### Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

US

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 3)

## 7 Handling and storage

### Handling:

#### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about protection against explosions and fires:** No special measures required.

#### Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements to be met by storerooms and receptacles:** Do not store below -20°C. Protected from light.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 57-13-6 urea

WEEL	Long-term value: 10 mg/m <sup>3</sup>
------	---------------------------------------

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:** Not required.

#### Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 4)

**Eye protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined.

**pH-value at 20 °C (68 °F):** 6.3-6.5

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
<b>Flash point:</b>	149 °C (300.2 °F)

<b>Flammability (solid, gaseous):</b>	Not applicable.
<b>Decomposition temperature:</b>	Not determined.

**Ignition temperature:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Vapor pressure:</b>	Not determined.

**Density at 20 °C (68 °F):** 1.205 g/cm<sup>3</sup> (10.05573 lbs/gal)

<b>Bulk density:</b>	1,032.1-1,044.7 kg/m <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

**Solvent separation test**

<b>Water:</b>	12.1 %
<b>VOC content:</b>	0.00 %

**Solids content:** 87.9 %

**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 5)

**Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.**Conditions to avoid** No further relevant information available.**Incompatible materials:** Oxidizing agents**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:****50-01-1 guanidinium chloride**

Oral	LD50	475 mg/kg (Rat)
Irritation of eyes	acute	500 mg (Rabbit) Severe Irritation

**Primary irritant effect:****on the skin:** Causes skin irritation.**on the eye:** Irritating effect.**Sensitization:**

In case of skin contact: not sensitising

In case of inhalation: not sensitising

**Additional toxicological information:**The product shows the following dangers according to internally approved calculation methods for preparations:  
OECD test guideline 471, Ames test.

Harmful

Irritant

**Carcinogenic categories****IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## 12 Ecological information

**Toxicity****Aquatic toxicity:** Not harmful to the aquatic environment**Persistence and degradability**

Not available

No further relevant information available.

**Bioaccumulative potential**

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Not available

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 6)

**Additional ecological information:****General notes:** No data available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

## 13 Disposal considerations

**Waste treatment methods****Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

**UN-Number** Not hazardous for transportation**DOT, ADR, IMDG, IATA** Not applicable**UN proper shipping name** None**DOT, ADR, ADN, IMDG, IATA** Not applicable**Transport hazard class(es)** None**DOT, ADR, ADN, IMDG, IATA****Class** Not applicable**Packing group** None**DOT, ADR, IMDG, IATA** Not applicable**Environmental hazards:** Not applicable.**Special precautions for user** Not applicable.**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.**UN "Model Regulation":** Not applicable

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture****Sara****Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 7)

**TSCA (Toxic Substances Control Act) Inventory:**

All components have the value ACTIVE.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**New Jersey Right-to-Know List:**

None of the ingredients are listed.

**Pennsylvania Right-to-Know List:**

None of the ingredients are listed.

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

57-13-6 urea

II

**TLV (Threshold Limit Value)**

None of the ingredients are listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Warning**Hazard-determining components of labeling:**

guanidinium chloride

sodium dodecyl sulphate

**Hazard statements**

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

**Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

(Contd. on page 9)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Lysis Buffer**

(Contd. of page 8)

*If eye irritation persists: Get medical advice/attention.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

**Chemical safety assessment**

**Water hazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.*

**Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**Department issuing SDS:**

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

chemicalregulatory@promega.com

**Contact:**

**Date of preparation / last revision** 07/05/2023

**Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Acute Toxicity - Oral 4: Acute toxicity – Category 4*

*Skin Irritation 2: Skin corrosion/irritation – Category 2*

*Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A*

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** Proteinase K (PK) Solution**Article number:** MC500D**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS08

**Signal word** Danger**Hazard-determining components of labeling:**

Proteinase, Tritirachium album serine

**Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Proteinase K (PK) Solution**

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:**

**NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 1

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 2

Fire = 1

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):**

Irritant

Sensitizer

**Primary route(s) of entry:** Inhalation

**Target Organ(s):** May cause Kidney damage (Nephrotoxin)

**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

**Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

56-81-5	glycerol	25-50%
39450-01-6	Proteinase, Tritirachium album serine	1-5%

### 4 First-aid measures

**Description of first aid measures**

**General information:** Take affected persons out into the fresh air.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** Allergic reactions

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Proteinase K (PK) Solution**

(Contd. of page 2)

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** No special advice

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective clothing.

**Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling:**

**Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Work only in fume cabinet.

**Information about protection against explosions and fires:** Keep respiratory protective device available.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** Do not store below -20°C. Protected from light.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

**56-81-5 glycerol**

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
-----	---

TLV	TLV withdrawn-insufficient data human occup. exp.
-----	---

**Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Proteinase K (PK) Solution**

(Contd. of page 3)

**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**

Select the glove material considering penetration time, rate of diffusion and degradation time.

**Material of gloves**

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

## \* 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined.

**pH-value at 20 °C (68 °F):** 6.9-7.4

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
<b>Flash point:</b>	160 °C (320 °F)

<b>Flammability (solid, gaseous):</b>	Not applicable.
<b>Decomposition temperature:</b>	Not determined.

**Ignition temperature:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

**Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Vapor pressure at 20 °C (68 °F):</b>	<0.1 hPa
<b>Vapor pressure at 50 °C (122 °F):</b>	~0 hPa

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Proteinase K (PK) Solution**

(Contd. of page 4)

<b>Density at 20 °C (68 °F):</b>	1.119 g/cm <sup>3</sup> (9.33806 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

### Solvent separation test

<b>Organic solvents:</b>	50.0 %
<b>Water:</b>	47.9 %
<b>VOC content:</b>	0.00 %

**Solids content:** 2.1 %

**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:**

**56-81-5 glycerol**

Oral	LD50	1,200 mg/kg (Rat)
------	------	-------------------

**Primary irritant effect:**

**on the skin:** Causes skin irritation.

**on the eye:** No data available.

**Sensitization:** Sensitization possible through inhalation.

**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Harmful

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Proteinase K (PK) Solution**

(Contd. of page 5)

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## 12 Ecological information

**Toxicity**

**Aquatic toxicity:** Not harmful to the aquatic environment

**Persistence and degradability**

Not available

No further relevant information available.

**Bioaccumulative potential**

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** Not available

**Additional ecological information:**

**General notes:** No data available.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## 13 Disposal considerations

**Waste treatment methods**

**Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

**Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

**UN-Number** Not hazardous for transportation

**DOT, ADR, IMDG, IATA** Not applicable

**UN proper shipping name** None

**DOT, ADR, ADN, IMDG, IATA** Not applicable

**Transport hazard class(es)** None

**DOT, ADR, ADN, IMDG, IATA**

**Class** Not applicable

**Packing group** None

(Contd. on page 7)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Proteinase K (PK) Solution**

(Contd. of page 6)

**DOT, ADR, IMDG, IATA** Not applicable

**Environmental hazards:** Not applicable.

**Special precautions for user** Not applicable.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**UN "Model Regulation":** Not applicable

## 15 Regulatory information

*Safety, health and environmental regulations/legislation specific for the substance or mixture*  
**Sara**

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) Inventory:**

56-81-5 glycerol

ACTIVE

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65**

**Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**New Jersey Right-to-Know List:**

56-81-5 glycerol

**Pennsylvania Right-to-Know List:**

56-81-5 glycerol

**Carcinogenicity categories**

**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value)**

None of the ingredients are listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**Signal word** Danger

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Proteinase K (PK) Solution**

(Contd. of page 7)

**Hazard-determining components of labeling:**

Proteinase, *Tritirachium album serine*

**Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment**

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

chemicalregulatory@promega.com

**Contact:**

**Date of preparation / last revision** 07/05/2023

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Sensitization - Respiratory 1: Respiratory sensitisation – Category 1

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** Purified Water**Article number:** MC149**CAS Number:**

7732-18-5

**EC number:**

231-791-2

**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

**Label elements****GHS label elements** Not applicable**Hazard pictograms** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable**Target Organ(s):** Not applicable or unknown**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Purified Water**

**vPvB:** Not applicable.

(Contd. of page 1)

### 3 Composition/information on ingredients

**Chemical characterization: Substances**

**CAS No. Description**

7732-18-5 water

**EC number:** 231-791-2

### 4 First-aid measures

**Description of first aid measures**

**General information:** No special measures required.

**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** No special advice

**Protective equipment:** No special measures required.

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Not required.

**Environmental precautions:** Dilute with plenty of water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Purified Water

(Contd. of page 2)

## 7 Handling and storage

### Handling:

**Precautions for safe handling** No special measures required.

**Information about protection against explosions and fires:** The product is not flammable.

**Conditions for safe storage, including any incompatibilities**

### Storage:

**Requirements to be met by storerooms and receptacles:** Do not store below -20°C. Protected from light.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

**Components with limit values that require monitoring at the workplace:** Not required.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

**Breathing equipment:** Not required.

**Protection of hands:** Not required.

#### Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

**Eye protection:** Not required.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Odorless
<b>Odor threshold:</b>	Not determined.

#### Change in condition

<b>Melting point/Melting range:</b>	0 °C (32 °F)
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
<b>Flash point:</b>	Not applicable.

**Flammability (solid, gaseous):** Not applicable.

**Decomposition temperature:** Not determined.

**Ignition temperature:** Not determined.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Purified Water

(Contd. of page 3)

<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Vapor pressure:</b>	Not determined.

<b>Density at 20 °C (68 °F):</b>	1 g/cm <sup>3</sup> (8.345 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	0.0952 mPas
<b>Kinematic:</b>	Not determined.
<b>Water:</b>	100.0 %
<b>VOC content:</b>	0.00 %

<b>Solids content:</b>	0.0 %
------------------------	-------

<b>Other information</b>	No further relevant information available.
--------------------------	--

## \* 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

## \* 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:** No data available

**Primary irritant effect:**

**on the skin:** No irritant effect.

**on the eye:** No irritating effect.

**Sensitization:**

In case of skin contact: not sensitising

In case of inhalation: not sensitising

**Additional toxicological information:** The substance is not subject to classification.

**Carcinogenic categories**

<b>IARC (International Agency for Research on Cancer)</b>
---

Substance is not listed.
--------------------------

<b>NTP (National Toxicology Program)</b>
--

Substance is not listed.
--------------------------

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Purified Water**

(Contd. of page 4)

**OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## \* 12 Ecological information

### Toxicity

**Aquatic toxicity:** Not harmful to the aquatic environment

### Persistence and degradability

Not available

No further relevant information available.

### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

### Ecotoxicological effects:

**Remark:** Not available

### Additional ecological information:

#### General notes:

Not available.

Not known to be hazardous to water.

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## \* 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## \* 14 Transport information

**UN-Number** Not hazardous for transportation

**DOT, ADR, ADN, IMDG, IATA** Not applicable

**UN proper shipping name** None

**DOT, ADR, ADN, IMDG, IATA** Not applicable

**Transport hazard class(es)** None

**DOT, ADR, ADN, IMDG, IATA**

**Class** Not applicable

**Packing group** None

**DOT, ADR, IMDG, IATA** Not applicable

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Purified Water

(Contd. of page 5)

**Environmental hazards:****Marine pollutant:** No**Special precautions for user** Not applicable.**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.**UN "Model Regulation":** Not applicable

## 15 Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

**Section 355 (extremely hazardous substances):**

Substance is not listed.

**Section 313 (Specific toxic chemical listings):**

Substance is not listed.

**TSCA (Toxic Substances Control Act) Inventory:**

ACTIVE

**Hazardous Air Pollutants**

Substance is not listed.

**Proposition 65****Chemicals known to cause cancer:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

**Chemicals known to cause developmental toxicity:**

Substance is not listed.

**New Jersey Right-to-Know List:**

Substance is not listed.

**Pennsylvania Right-to-Know List:**

Substance is not listed.

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

Substance is not listed.

**TLV (Threshold Limit Value)**

Substance is not listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

**GHS label elements** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable

(Contd. on page 7)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Purified Water**

(Contd. of page 6)

### Chemical safety assessment

**Water hazard class:** Generally not hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation  
 Chemical Regulatory Department  
 2800 Woods Hollow Road  
 Madison, WI  
 Ph: (608)274-4330  
 chemicalregulatory@promega.com

### Contact:

**Date of preparation / last revision** 07/05/2023

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** 4/40 Wash**Article number:** K200**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flammable Liquids 3

H226 Flammable liquid and vapor.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4

H332 Harmful if inhaled.

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02



GHS07

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 1)

**Signal word** Warning**Hazard-determining components of labeling:**

guanidinium chloride

2-Propanol

**Hazard statements**

Flammable liquid and vapor.

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 3

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 2

Fire = 3

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant****Primary route(s) of entry:**

Dermal

Inhalation

Oral

**Target Organ(s):**

May affect Nervous system (Neurotoxin)

May cause Kidney damage (Nephrotoxin)

May affect Bones

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 2)

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

50-01-1	guanidinium chloride	25-50%
67-63-0	2-Propanol	25-50%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### 4 First-aid measures

**Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

Take affected persons into fresh air and keep quiet.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:**

Immediately call a doctor.

Seek immediate medical advice.

**Information for doctor:****Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 3)

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.**Protective equipment:** Mouth respiratory protective device.

## \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

**Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## \* 7 Handling and storage

**Handling:****Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Do not store below -20°C. Protected from light.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep receptacle tightly sealed.**Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

**Control parameters****Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 4)

**67-63-0 2-Propanol**

PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

**Ingredients with biological limit values:****67-63-0 2-Propanol**

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.  
Do not eat or drink while working.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**

Select the glove material considering penetration time, rate of diffusion and degradation time.

**Material of gloves**

Gloves impermeable to the specific chemical substance.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:**

Safety glasses  
Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 5)

<b>Odor threshold:</b>	Not determined.
<b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	82 °C (179.6 °F)
<b>Flash point:</b>	23.2 °C (73.8 °F) (EPA 1010)
<b>Flammability (solid, gaseous):</b>	Flammable.
<b>Auto igniting:</b>	425 °C (797 °F)
<b>Decomposition temperature:</b>	Not determined.
<b>Ignition temperature:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
<b>Explosion limits:</b>	
<b>Lower:</b>	2 Vol %
<b>Upper:</b>	12 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	43 hPa (32.3 mm Hg)
<b>Density at 20 °C (68 °F):</b>	1.034 g/cm <sup>3</sup> (8.62873 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Solvent separation test</b>	
<b>Organic solvents:</b>	40.0 %
<b>Water:</b>	19.9 %
<b>VOC content:</b>	40.00 %
<b>Solids content:</b>	40.1 %
<b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Oxidizing agents

**Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 6)

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values that are relevant for classification:

#### 50-01-1 guanidinium chloride

Oral	LD50	475 mg/kg (Rat)
Irritation of eyes	acute	500 mg (Rabbit) Severe Irritation

#### Primary irritant effect:

**on the skin:** Causes skin irritation.

**on the eye:** Irritating effect.

#### Sensitization:

In case of skin contact: not sensitising

In case of inhalation: not sensitising

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
OECD test guideline 471, Ames test.

Harmful

Irritant

#### Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

67-63-0	2-Propanol	3
---------	------------	---

#### NTP (National Toxicology Program)

None of the ingredients are listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

### Toxicity

**Aquatic toxicity:** Not harmful to the aquatic environment

#### Persistence and degradability

Not available

No further relevant information available.

#### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Ecotoxicological effects:

**Remark:** Not available

#### Additional ecological information:

**General notes:** No data available.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

US

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 7)

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

### UN-Number

DOT, ADR, IMDG, IATA

UN1993

### UN proper shipping name

DOT

Flammable liquids, n.o.s. (Isopropanol)

ADR

1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))

IMDG

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))

IATA

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL) solution)

### Transport hazard class(es)

DOT



Class  
Label

3 Flammable liquids  
3

ADR



Class  
Label

3 (F1) Flammable liquids  
3

IMDG, IATA



Class  
Label

3 Flammable liquids  
3

(Contd. on page 9)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 8)

<b>Packing group</b> <b>DOT, ADR, IMDG, IATA</b>	III
<b>Environmental hazards:</b> <b>Marine pollutant:</b>	No
<b>Special precautions for user</b> <b>Hazard identification number (Kemler code):</b> 30 <b>EMS Number:</b> <b>Stowage Category</b>	Warning: Flammable liquids F-E, <u>S-E</u> A
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b> <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>IMDG</b> <b>Limited quantities (LQ)</b> <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

### Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### Section 313 (Specific toxic chemical listings):

67-63-0 | 2-Propanol

### TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

### Hazardous Air Pollutants

None of the ingredients are listed.

### Proposition 65

#### Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 9)

**New Jersey Right-to-Know List:**

67-63-0 | 2-Propanol

**Pennsylvania Right-to-Know List:**

67-63-0 | 2-Propanol

**Cancerogenity categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value)**

67-63-0 | 2-Propanol

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Warning**Hazard-determining components of labeling:**

guanidinium chloride

2-Propanol

**Hazard statements**

Flammable liquid and vapor.

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment****Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 11)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 4/40 Wash

(Contd. of page 10)

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation  
 Chemical Regulatory Department  
 2800 Woods Hollow Road  
 Madison, WI  
 Ph: (608)274-4330  
 chemicalregulatory@promega.com

#### Contact:

**Date of preparation / last revision** 07/05/2023

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organization  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 BEI: Biological Exposure Limit  
 Flammable Liquids 3: Flammable liquids – Category 3  
 Acute Toxicity - Oral 4: Acute toxicity – Category 4  
 Skin Irritation 2: Skin corrosion/irritation – Category 2  
 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A  
 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

**1 Identification****Product identifier****Trade name:** Ethanol Solution**Article number:** MCI09**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irritation 2A H319 Causes serious eye irritation.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02 GHS07

**Signal word** Danger**Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

**Trade name: Ethanol Solution**

(Contd. of page 1)

Keep container tightly closed.  
 Ground/bond container and receiving equipment.  
 Use explosion-proof electrical/ventilating/lighting/equipment.  
 Use only non-sparking tools.  
 Take precautionary measures against static discharge.  
 Wash thoroughly after handling.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing.  
 If eye irritation persists: Get medical advice/attention.  
 In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.  
 Store in a well-ventilated place. Keep cool.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:**  
**NFPA ratings (scale 0 - 4)**  
 Health = 2  
 Fire = 3  
 Reactivity = 0  
**HMIS-ratings (scale 0 - 4)**  
 Health = 2  
 Fire = 3  
 Reactivity = 0  
**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):**  
 Irritant  
 Flammable  
**Primary route(s) of entry:**  
 Dermal  
 Inhalation  
**Target Organ(s):**  
 May cause Liver damage (Hepatotoxin)  
 May affect Nervous system (Neurotoxin)  
**Other hazards**  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

**Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

64-17-5	ethanol	75-100%
---------	---------	---------

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### \* 4 First-aid measures

**Description of first aid measures**

**General information:** Immediately remove any clothing soiled by the product.

**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

**Trade name: Ethanol Solution**

(Contd. of page 2)

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

**Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling:**

**Precautions for safe handling** Use only in well ventilated areas.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Not required.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

**Trade name: Ethanol Solution**

(Contd. of page 3)

**Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**64-17-5 ethanol**

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1000 ppm

A3

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

**Breathing equipment:** Not required.

**Protection of hands:** Not required.

**Material of gloves**

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

## \* 9 Physical and chemical properties

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Fluid

**Color:** Colorless

**Odor:** Alcohol-like

**Odor threshold:** Not determined.

(Contd. on page 5)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Ethanol Solution

(Contd. of page 4)

**Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** 78 °C (172.4 °F)  
**Flash point:** 14 °C (57.2 °F) (EPA 1010)

**Flammability (solid, gaseous):** Highly flammable.

**Auto igniting:** 425 °C (797 °F)  
**Decomposition temperature:** Not determined.

**Ignition temperature:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.  
 Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

**Explosion limits:**

**Lower:** 3.5 Vol %  
**Upper:** 15 Vol %  
**Vapor pressure at 20 °C (68 °F):** 59 hPa (44.3 mm Hg)  
**Vapor pressure at 50 °C (122 °F):** 280 hPa (210 mm Hg)

**Density at 20 °C (68 °F):** 0.828 g/cm<sup>3</sup> (6.90966 lbs/gal)

**Relative density** Not determined.

**Vapor density** Not determined.

**Evaporation rate** Not determined.

**Solubility in / Miscibility with**

**Water:** Fully miscible.

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

**Solvent separation test**

**Organic solvents:** 80.0 %  
**Water:** 20.0 %  
**VOC content:** 80.00 %

**Solids content:** 0.0 %

**Other information** No further relevant information available.

## \* 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Oxidizing agents

**Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Ethanol Solution

(Contd. of page 5)

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values that are relevant for classification:

##### 64-17-5 ethanol

Oral	LD50	7,060 mg/kg (Rat)
Inhalative	LC50/4 h	20,000 mg/l (Rat)

#### Primary irritant effect:

**on the skin:** Causes skin irritation.

**on the eye:** Irritating effect.

#### Sensitization:

In case of skin contact: not sensitising

In case of inhalation: not sensitising

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.

Irritant

#### Carcinogenic categories

##### IARC (International Agency for Research on Cancer)

64-17-5 ethanol	1
-----------------	---

##### NTP (National Toxicology Program)

None of the ingredients are listed.

##### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

### Toxicity

**Aquatic toxicity:** Not harmful to the aquatic environment

#### Persistence and degradability

Not available

No further relevant information available.

#### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Ecotoxicological effects:

**Remark:** Not available

#### Additional ecological information:

**General notes:** No data available.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

US  
(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Ethanol Solution

(Contd. of page 6)

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.  
Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

### UN-Number

DOT, ADR, IMDG, IATA

UN1170

### UN proper shipping name

DOT

Ethanol solutions

ADR

1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

IMDG

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

IATA

ETHANOL SOLUTION

### Transport hazard class(es)

DOT



Class

3 Flammable liquids

Label

3

ADR



Class

3 (F1) Flammable liquids

Label

3

IMDG, IATA



Class

3 Flammable liquids

Label

3

### Packing group

DOT, ADR, IMDG, IATA

III

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Ethanol Solution

(Contd. of page 7)

**Environmental hazards:****Marine pollutant:** No**Special precautions for user** Warning: Flammable liquids**Hazard identification number (Kemler code):** 30**EMS Number:** F-E,S-D**Stowage Category** A**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.**Transport/Additional information:****ADR****Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml**IMDG****Limited quantities (LQ)** 5L  
**Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml**UN "Model Regulation":** UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III**15 Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) Inventory:**

All components have the value ACTIVE.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

**New Jersey Right-to-Know List:**

64-17-5 ethanol

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 06/07/2023

**Trade name: Ethanol Solution**

(Contd. of page 8)

**Pennsylvania Right-to-Know List:**

64-17-5	ethanol
---------	---------

**Carcinogenicity categories**

**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value)**

64-17-5	ethanol	A3
---------	---------	----

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**Signal word** Danger

**Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment**

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

chemicalregulatory@promega.com

**Contact:**

**Date of preparation / last revision** 07/05/2023

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/05/2023

Reviewed on 06/07/2023

**Trade name: Ethanol Solution**

(Contd. of page 9)

*ICAO: International Civil Aviation Organization**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flammable Liquids 2: Flammable liquids – Category 2**Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A*

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** MagneSil® Resin A**Article number:** K105**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS07

**Signal word** Warning**Hazard-determining components of labeling:**

guanidinium chloride

**Hazard statements**

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: MagneSil® Resin A**

(Contd. of page 1)

**Precautionary statements**

*Avoid breathing dust/fume/gas/mist/vapors/spray*

*Wash thoroughly after handling.*

*Do not eat, drink or smoke when using this product.*

*Use only outdoors or in a well-ventilated area.*

*Wear eye protection / face protection.*

*If swallowed: Call a poison center/doctor if you feel unwell.*

*If on skin: Wash with plenty of water.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Rinse mouth.*

*Take off contaminated clothing and wash it before reuse.*

*If skin irritation occurs: Get medical advice/attention.*

*If eye irritation persists: Get medical advice/attention.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

**Classification system:**

**NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant**

**Primary route(s) of entry:**

*Dermal*

*Inhalation*

*Oral*

**Target Organ(s):**

*May affect Nervous system (Neurotoxin)*

*May affect Bones*

**Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

*The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.*

**Dangerous components:**

50-01-1	guanidinium chloride	50-75%
---------	----------------------	--------

**Additional information:** For the wording of the listed risk phrases refer to section 15.

US  
(Contd. on page 3)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: **MagneSil® Resin A**

(Contd. of page 2)

## 4 First-aid measures

### Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Immediately call a doctor.

Seek immediate medical advice.

#### Information for doctor:

**Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### Special hazards arising from the substance or mixture

None known

No further relevant information available.

**Advice for firefighters** No special advice

**Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

#### Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: MagneSil® Resin A**

(Contd. of page 3)

See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

#### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about protection against explosions and fires:** The product is not flammable.

#### Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements to be met by storerooms and receptacles:** Do not store below -20°C. Protected from light.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:

Select the glove material considering penetration time, rate of diffusion and degradation time.

#### Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Eye protection:

Safety glasses

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: MagneSil® Resin A

(Contd. of page 4)

Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

##### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined.

#### Change in condition

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
<b>Flash point:</b>	Not applicable.

<b>Flammability (solid, gaseous):</b>	Not applicable.
<b>Decomposition temperature:</b>	Not determined.

<b>Ignition temperature:</b>	Product is not selfigniting.
------------------------------	------------------------------

<b>Danger of explosion:</b>	Product does not present an explosion hazard.
-----------------------------	---

#### Explosion limits:

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Vapor pressure:</b>	Not determined.

<b>Density at 20 °C (68 °F):</b>	1.22588 g/cm <sup>3</sup> (10.22997 lbs/gal)
----------------------------------	--

<b>Bulk density:</b>	1,225.9 kg/m <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

#### Solvent separation test

<b>Water:</b>	39.8 %
<b>VOC content:</b>	0.00 %

<b>Solids content:</b>	60.2 %
------------------------	--------

<b>Other information</b>	No further relevant information available.
--------------------------	--

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

#### Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.

**Conditions to avoid** No further relevant information available.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: **MagneSil® Resin A**

(Contd. of page 5)

**Incompatible materials:** Oxidizing agents**Hazardous decomposition products:** No dangerous decomposition products known.

## \* 11 Toxicological information

**Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:****50-01-1 guanidinium chloride**

Oral	LD50	475 mg/kg (Rat)
Irritation of eyes	acute	500 mg (Rabbit) Severe Irritation

**Primary irritant effect:****on the skin:** Causes skin irritation.**on the eye:** Irritating effect.**Sensitization:**

In case of skin contact: not sensitising

In case of inhalation: not sensitising

**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Harmful

Irritant

**Carcinogenic categories****IARC (International Agency for Research on Cancer)**

1309-37-1	diiron trioxide	3
7631-86-9	silicon dioxide	3

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## \* 12 Ecological information

**Toxicity****Aquatic toxicity:** Not harmful to the aquatic environment**Persistence and degradability**

Not available

No further relevant information available.

**Bioaccumulative potential**

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Not available**Additional ecological information:****General notes:** No data available.**Results of PBT and vPvB assessment****PBT:** Not applicable.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: **MagneSil® Resin A**

(Contd. of page 6)

**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

## \* 13 Disposal considerations

**Waste treatment methods****Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## \* 14 Transport information

**UN-Number****DOT, ADR, IMDG, IATA**

UN2810

**UN proper shipping name**

None

**DOT**

Toxic, liquids, organic, n.o.s.

**ADR**

2810 TOXIC LIQUID, ORGANIC, N.O.S.

**IMDG, IATA**

TOXIC LIQUID, ORGANIC, N.O.S.

**Transport hazard class(es)**

None

**DOT****Class**

6.1 Toxic substances

**Label**

6.1

**ADR****Class**

6.1 (T1) Toxic substances

**Label**

6.1

**IMDG, IATA****Class**

6.1 Toxic substances

**Label**

6.1

**Packing group**

None

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: **MagneSil® Resin A**

(Contd. of page 7)

<b>DOT, ADR, IMDG, IATA</b>	III
<b>Environmental hazards:</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	Warning: Toxic substances
<b>Hazard identification number (Kemler code):</b>	60
<b>EMS Number:</b>	F-A,S-A
<b>Stowage Category</b>	A
<b>Stowage Code</b>	SW2 Clear of living quarters.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b>	
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	5L
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. 6.1, III

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) Inventory:**

All components have the value ACTIVE.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65**

**Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: **MagneSil® Resin A**

(Contd. of page 8)

**New Jersey Right-to-Know List:**

1309-37-1 diiron trioxide

**Pennsylvania Right-to-Know List:**

1309-37-1 diiron trioxide

7631-86-9 silicon dioxide

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value)**

1309-37-1 diiron trioxide

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Warning**Hazard-determining components of labeling:**

guanidinium chloride

**Hazard statements**

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

**Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment****Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: MagneSil® Resin A**

(Contd. of page 9)

Ph: (608)274-4330

chemicalregulatory@promega.com

**Contact:****Date of preparation / last revision** 07/05/2023**Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**ICAO: International Civil Aviation Organization**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Acute Toxicity - Oral 4: Acute toxicity – Category 4**Skin Irritation 2: Skin corrosion/irritation – Category 2**Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A*

US



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** 100% Isopropanol**Article number:** K406**CAS Number:**

67-63-0

**EC number:**

200-661-7

**Index number:**

603-117-00-0

**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

**Label elements****GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: 100% Isopropanol**

(Contd. of page 1)

**Hazard pictograms**

GHS02 GHS07

**Signal word** *Danger***Hazard-determining components of labeling:***2-Propanol***Hazard statements***Highly flammable liquid and vapor.**Causes serious eye irritation.**May cause drowsiness or dizziness.***Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Take precautionary measures against static discharge.**Avoid breathing dust/fume/gas/mist/vapors/spray**Wash thoroughly after handling.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Call a poison center/doctor if you feel unwell.**If eye irritation persists: Get medical advice/attention.**In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.**Store in a well-ventilated place. Keep container tightly closed.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)***Health = 1**Fire = 3**Reactivity = 0***HMIS-ratings (scale 0 - 4)***Health = 1**Fire = 3**Reactivity = 0***OSHA Hazard Overview (Criteria according to 29CFR1910.1200):***Irritant**Flammable***Primary route(s) of entry:***Dermal**Inhalation***Target Organ(s):***May affect Nervous system (Neurotoxin)**May cause Kidney damage (Nephrotoxin)*

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: 100% Isopropanol**

(Contd. of page 2)

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**Chemical characterization: Substances****CAS No. Description**

67-63-0 2-Propanol

**EC number:** 200-661-7**Index number:** 603-117-00-0

### \* 4 First-aid measures

**Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

**After skin contact:** Generally the product does not irritate the skin.**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.**Information for doctor:****Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### \* 5 Fire-fighting measures

**Extinguishing media****Suitable extinguishing agents:** Use fire fighting measures that suit the environment.**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.

### \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: 100% Isopropanol**

(Contd. of page 3)

*Wear protective equipment. Keep unprotected persons away.*

*Keep away from ignition sources*

*Wear protective clothing.*

**Environmental precautions:**

*Prevent seepage into sewage system, workpits and cellars.*

*Dilute with plenty of water.*

*Do not allow to enter sewers/ surface or ground water.*

**Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Dispose contaminated material as waste according to Section 13.*

*Ensure adequate ventilation.*

**Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 13 for disposal information.*

## 7 Handling and storage

**Handling:**

**Precautions for safe handling**

*Ensure good ventilation/exhaustion at the workplace.*

*Prevent formation of aerosols.*

*Use only in well ventilated areas.*

**Information about protection against explosions and fires:**

*Keep ignition sources away - Do not smoke.*

*Protect against electrostatic charges.*

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** *Store in a cool location.*

**Information about storage in one common storage facility:** *Not required.*

**Further information about storage conditions:**

*Keep receptacle tightly sealed.*

*Store in cool, dry conditions in well sealed receptacles.*

**Specific end use(s)** *No further relevant information available.*

## 8 Exposure controls/personal protection

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**67-63-0 2-Propanol**

PEL *Long-term value: 980 mg/m<sup>3</sup>, 400 ppm*

REL *Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm*  
*Long-term value: 980 mg/m<sup>3</sup>, 400 ppm*

TLV *Short-term value: 400 ppm*  
*Long-term value: 200 ppm*  
*BEI, A4*

**Ingredients with biological limit values:**

**67-63-0 2-Propanol**

BEI *40 mg/L*  
*Medium: urine*  
*Time: end of shift at end of workweek*  
*Parameter: Acetone (background, nonspecific)*

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 100% Isopropanol

(Contd. of page 4)

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:** Not required.

**Material of gloves**

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

**Eye protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.

**Change in condition**

<b>Melting point/Melting range:</b>	-89.5 °C (-129.1 °F)
<b>Boiling point/Boiling range:</b>	82 °C (179.6 °F)
<b>Flash point:</b>	13 °C (55.4 °F)

**Flammability (solid, gaseous):** Highly flammable.

**Auto igniting:** 425 °C (797 °F)

**Decomposition temperature:** Not determined.

**Ignition temperature:** Not determined.

**Danger of explosion:** Product does not present an explosion hazard.  
Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

**Explosion limits:**

<b>Lower:</b>	2 Vol %
<b>Upper:</b>	12 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	43 hPa (32.3 mm Hg)

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 100% Isopropanol

(Contd. of page 5)

<b>Density at 20 °C (68 °F):</b>	0.785 g/cm <sup>3</sup> (6.55083 lbs/gal)
<b>Relative density at 20 °C (68 °F)</b>	0.785 g/cm <sup>3</sup>
<b>Vapor density at 20 °C (68 °F)</b>	2.1 g/cm <sup>3</sup> (17.5245 lbs/gal)
<b>Evaporation rate at 20 °C (68 °F)</b>	1.7
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	2.43 mPas
<b>Kinematic:</b>	Not determined.

<b>Organic solvents:</b>	100.0 %
<b>VOC content:</b>	100.00 %

<b>Solids content:</b>	0.0 %
------------------------	-------

<b>Other information</b>	No further relevant information available.
--------------------------	--

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Oxidizing agents

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:**

**67-63-0 2-Propanol**

Oral	LD50	4,570 mg/kg (Rat)
Dermal	LD50	13,400 mg/kg (Rat)
Inhalative	LC50/4 h	30 mg/l (Rat)

**Primary irritant effect:**

**on the skin:** Causes skin irritation.

**on the eye:** Irritating effect.

**Sensitization:**

In case of skin contact: not sensitising

In case of inhalation: not sensitising

**Additional toxicological information:** The substance is not subject to classification.

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer)**

3

**NTP (National Toxicology Program)**

Substance is not listed.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: 100% Isopropanol**

(Contd. of page 6)

**OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## \* 12 Ecological information

### Toxicity

**Aquatic toxicity:** Not harmful to the aquatic environment

### Persistence and degradability

Not available

No further relevant information available.

### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

### Ecotoxicological effects:

**Remark:** Not available

### Additional ecological information:

**General notes:** No data available.

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## \* 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## \* 14 Transport information

### UN-Number

**DOT, ADR, IMDG, IATA**

UN1219

### UN proper shipping name

**DOT**

Isopropanol

**ADR**

1219 ISOPROPANOL (ISOPROPYL ALCOHOL)

**IMDG, IATA**

ISOPROPANOL (ISOPROPYL ALCOHOL)

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 100% Isopropanol

(Contd. of page 7)

**Transport hazard class(es)****DOT**

**Class** 3 Flammable liquids  
**Label** 3

**ADR**

**Class** 3 (F1) Flammable liquids  
**Label** 3

**IMDG, IATA**

**Class** 3 Flammable liquids  
**Label** 3

**Packing group**

**DOT, ADR, IMDG, IATA** II

**Environmental hazards:**

**Marine pollutant:** No

**Special precautions for user** Warning: Flammable liquids

**Hazard identification number (Kemler code):** 33

**EMS Number:** F-E,S-D

**Stowage Category** B

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

**Transport/Additional information:****ADR**

**Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

**IMDG**

**Limited quantities (LQ)** 1L  
**Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: 100% Isopropanol

(Contd. of page 8)

UN "Model Regulation":

UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

## 15 Regulatory information

*Safety, health and environmental regulations/legislation specific for the substance or mixture*  
Sara

**Section 355 (extremely hazardous substances):**

Substance is not listed.

**Section 313 (Specific toxic chemical listings):**

Substance is listed.

**TSCA (Toxic Substances Control Act) Inventory:**

ACTIVE

**Hazardous Air Pollutants**

Substance is not listed.

**Proposition 65****Chemicals known to cause cancer:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

**Chemicals known to cause developmental toxicity:**

Substance is not listed.

**New Jersey Right-to-Know List:**

Substance is listed.

**Pennsylvania Right-to-Know List:**

Substance is listed.

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

Substance is not listed.

**TLV (Threshold Limit Value)**

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

**GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

**Signal word** Danger**Hazard-determining components of labeling:**

2-Propanol

**Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: 100% Isopropanol**

(Contd. of page 9)

### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Chemical safety assessment

**Water hazard class:** Water hazard class 1 (Assessment by list): slightly hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

chemicalregulatory@promega.com

### Contact:

**Date of preparation / last revision** 07/05/2023

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: 100% Isopropanol**

(Contd. of page 10)

*NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Flammable Liquids 2: Flammable liquids – Category 2**Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A**Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3*

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**1 Identification****Product identifier****Trade name:** Alcohol Wash**Article number:** A937**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: [chemicalregulatory@promega.com](mailto:chemicalregulatory@promega.com)**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02 GHS07

**Signal word** Danger**Hazard-determining components of labeling:**

2-Propanol

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Alcohol Wash**

(Contd. of page 1)

**Hazard statements***Highly flammable liquid and vapor.**Causes serious eye irritation.**May cause drowsiness or dizziness.***Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Take precautionary measures against static discharge.**Avoid breathing dust/fume/gas/mist/vapors/spray**Wash thoroughly after handling.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Call a poison center/doctor if you feel unwell.**If eye irritation persists: Get medical advice/attention.**In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.**Store in a well-ventilated place. Keep container tightly closed.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)***Health = 2**Fire = 3**Reactivity = 0***HMIS-ratings (scale 0 - 4)***Health = 2**Fire = 3**Reactivity = 0***OSHA Hazard Overview (Criteria according to 29CFR1910.1200):***Irritant**Flammable***Primary route(s) of entry:***Dermal**Inhalation***Target Organ(s):***May cause Liver damage (Hepatotoxin)**May affect Nervous system (Neurotoxin)**May cause Kidney damage (Nephrotoxin)***Other hazards****Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.*

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Alcohol Wash

(Contd. of page 2)

## 3 Composition/information on ingredients

### Chemical characterization: Mixtures

#### Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

#### Dangerous components:

64-17-5	ethanol	20-25%
67-63-0	2-Propanol	20-25%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

### Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

**After skin contact:** Generally the product does not irritate the skin.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.

#### Information for doctor:

#### Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Nausea

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

### Extinguishing media

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

### Special hazards arising from the substance or mixture

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Alcohol Wash**

(Contd. of page 3)

*Wear protective clothing.*

**Environmental precautions:**

*Prevent seepage into sewage system, workpits and cellars.*

*Dilute with plenty of water.*

*Do not allow to enter sewers/ surface or ground water.*

**Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Dispose contaminated material as waste according to Section 13.*

*Ensure adequate ventilation.*

**Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 13 for disposal information.*

## \* 7 Handling and storage

**Handling:**

**Precautions for safe handling**

*Ensure good ventilation/exhaustion at the workplace.*

*Prevent formation of aerosols.*

*Use only in well ventilated areas.*

**Information about protection against explosions and fires:**

*Keep ignition sources away - Do not smoke.*

*Protect against electrostatic charges.*

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** *Store in a cool location.*

**Information about storage in one common storage facility:** *Not required.*

**Further information about storage conditions:**

*Keep receptacle tightly sealed.*

*Store in cool, dry conditions in well sealed receptacles.*

**Specific end use(s)** *No further relevant information available.*

## \* 8 Exposure controls/personal protection

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**64-17-5 ethanol**

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1000 ppm

A3

**67-63-0 2-Propanol**

PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

REL Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm

Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

TLV Short-term value: 400 ppm

Long-term value: 200 ppm

BEI, A4

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Alcohol Wash

(Contd. of page 4)

**Ingredients with biological limit values:****67-63-0 2-Propanol**

BEI	40 mg/L
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Acetone (background, nonspecific)

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.  
 Do not eat or drink while working.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:** Not required.

**Material of gloves**

Gloves impermeable to the specific chemical substance.  
 Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:**

Safety glasses  
 Use equipment for eye protection tested and approved under government NIOSH standards.

## \* 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.

**pH-value at 20 °C (68 °F):** 7

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	78 °C (172.4 °F)
<b>Flash point:</b>	13 °C (55.4 °F) (EPA 1010)

**Flammability (solid, gaseous):** Highly flammable.

(Contd. on page 6)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Alcohol Wash

(Contd. of page 5)

<b>Auto igniting:</b>	425 °C (797 °F)
<b>Decomposition temperature:</b>	Not determined.
<b>Ignition temperature:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
<b>Explosion limits:</b>	
<b>Lower:</b>	2 Vol %
<b>Upper:</b>	15 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	59 hPa (44.3 mm Hg)
<b>Vapor pressure at 50 °C (122 °F):</b>	280 hPa (210 mm Hg)
<b>Density at 20 °C (68 °F):</b>	0.93 g/cm <sup>3</sup> (7.76085 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Solvent separation test</b>	
<b>Organic solvents:</b>	50.0 %
<b>Water:</b>	49.4 %
<b>VOC content:</b>	50.00 %
<b>Solids content:</b>	0.6 %
<b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Oxidizing agents

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:** No data available

**Primary irritant effect:**

**on the skin:** Causes skin irritation.

**on the eye:** Irritating effect.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Alcohol Wash**

(Contd. of page 6)

**Sensitization:***In case of skin contact: not sensitising**In case of inhalation: not sensitising***Additional toxicological information:***The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.**Irritant***Carcinogenic categories****IARC (International Agency for Research on Cancer)**

64-17-5	ethanol	1
67-63-0	2-Propanol	3

**NTP (National Toxicology Program)***None of the ingredients are listed.***OSHA-Ca (Occupational Safety & Health Administration)***None of the ingredients are listed.*

## \* 12 Ecological information

**Toxicity***Aquatic toxicity: Not harmful to the aquatic environment***Persistence and degradability***Not available**No further relevant information available.***Bioaccumulative potential***Not known**No further relevant information available.**Mobility in soil No further relevant information available.***Ecotoxicological effects:***Remark: Not available***Additional ecological information:***General notes: No data available.***Results of PBT and vPvB assessment***PBT: Not applicable.**vPvB: Not applicable.**Other adverse effects No further relevant information available.*

## \* 13 Disposal considerations

**Waste treatment methods****Recommendation:***Disposal should be in accordance with applicable regional, national and local laws and regulations.**Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.***Uncleaned packagings:***Recommendation: Disposal must be made according to official regulations.**Recommended cleansing agent: Water, if necessary with cleansing agents.*

US

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS




Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Alcohol Wash

(Contd. of page 7)

## 14 Transport information

<b>UN-Number</b>	UN1987
<b>DOT, ADR, IMDG, IATA</b>	
<b>UN proper shipping name</b>	Alcohols, n.o.s. (Isopropanol, Ethanol)
<b>DOT</b>	1987 ALCOHOLS, N.O.S. (vapour pressure at 50°C not more than 110 kPa) (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
<b>ADR</b>	
<b>IMDG</b>	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
<b>IATA</b>	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL)
<b>Transport hazard class(es)</b>	
<b>DOT</b>	
	
<b>Class</b>	3 Flammable liquids
<b>Label</b>	3
<b>ADR</b>	
	
<b>Class</b>	3 (F1) Flammable liquids
<b>Label</b>	3
<b>IMDG, IATA</b>	
	
<b>Class</b>	3 Flammable liquids
<b>Label</b>	3
<b>Packing group</b>	II
<b>DOT, ADR, IMDG, IATA</b>	
<b>Environmental hazards:</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	Warning: Flammable liquids
<b>Hazard identification number (Kemler code):</b>	33
<b>EMS Number:</b>	F-E,S-D
<b>Stowage Category</b>	B
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.

(Contd. on page 9)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Alcohol Wash

(Contd. of page 8)

**Transport/Additional information:****ADR****Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

**IMDG****Limited quantities (LQ)****Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

**UN "Model Regulation":**

UN 1987 ALCOHOLS, N.O.S. (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA) (ISOPROPRANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL)), 3, II

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

67-63-0 | 2-Propanol

**TSCA (Toxic Substances Control Act) Inventory:**

All components have the value ACTIVE.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

64-17-5 | ethanol

**New Jersey Right-to-Know List:**

64-17-5 | ethanol

67-63-0 | 2-Propanol

**Pennsylvania Right-to-Know List:**

64-17-5 | ethanol

67-63-0 | 2-Propanol

(Contd. on page 10)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Alcohol Wash

(Contd. of page 9)

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value)**

64-17-5 ethanol

A3

67-63-0 2-Propanol

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Danger**Hazard-determining components of labeling:**

2-Propanol

**Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment****Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/05/2023

Reviewed on 07/05/2023

**Trade name: Alcohol Wash**

(Contd. of page 10)

*chemicalregulatory@promega.com***Contact:****Date of preparation / last revision** 07/05/2023**Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Flammable Liquids 2: Flammable liquids – Category 2**Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A**Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3*

US