12/28/2023	Kit Components	
Product code	Description	
S1031	AttoPhos® Calibration Solution	
Components:		
S103	AttoPhos® Calibration Solution	



Printing date 12/28/2023

1 Identification

Reviewed on 12/28/2023

Product identifier Trade name: <u>AttoPhos® Calibration Solution</u> Article number: S103 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

GHS08 Health hazard

Carcinogenicity 2	H351 Suspected of causing cancer.
Specific Target Organ Toxicity - Repeated Exposure 2	H373 May cause damage to organs through prolonged or repeated exposure.
GHS05 Corrosion	
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Skin Irritation 2	H315 Causes skin irritation.
Label elements GHS label elements The product is classified and labe	eled according to the Globally Harmonized System (GHS). (Contd. on page 2)

- ÚS -

Page 1/10

Printing date 12/28/2023

Hazard pictograms

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

(Contd. of page 1)

GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: diethanolamine Hazard statements Causes skin irritation. Causes serious eye damage. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. **Precautionary statements** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *IF exposed or concerned: Get medical advice/attention.* Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) *Health* = 3 Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = *3Fire = 0*Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Toxic Highly Toxic Suspected Carcinogen Cumulative Effects (Chronic hazard) **Primary route(s) of entry:** Dermal Inhalation Target Organ(s): May cause Liver damage (Hepatotoxin) May cause Kidney damage (Nephrotoxin) Other hazards Results of PBT and vPvB assessment **PBT:** Not applicable. (Contd. on page 3)

- U

(Contd. of page 2)

25-50%

Safety Data Sheet acc. to OSHA HCS

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

111-42-2 diethanolamine

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures General information: Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eve contact: Rinse opened eye for several minutes under running water. After swallowing: Immediately call a doctor. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit. *Protective equipment:* Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Mount respiratory protective device.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

(Contd. on page 4)

[•] Uf

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

(Contd. of page 3)

Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. **Information about protection against explosions and fires:** Keep respiratory protective device available. The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. Do not eat or drink while working. Breathing equipment: In case of brief exposure or low pollution use respiratory f

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. **Protection of hands:** Not required.

(Contd. on page 5)

US

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eve protection:

Tightly sealed goggles

Use equipment for eve protection tested and approved under government NIOSH standards.

Information on basic physical and cha	emical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Not determined	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	10	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	370 °C (698 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2.1 Vol %	
Upper:	10.6 Vol %	
Vapor pressure at 10 °C (50 °F):	2 hPa (1.5 mm Hg)	
Density at 20 °C (68 °F):	1.02248 g/cm³ (8.5326 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water)		
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

(Contd. of page 4)

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

	(Contd. of page	5)
Solvent separation test		
Organic solvents: Water: VOC content:	25.2 % 74.8 % 25.23 %	
Solids content:	25.2 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions Reacts with oxidizing agents. Reacts with various metals. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

111-42-2 diethanolamine

Oral	LD50	2,200 mg/kg (Rat)
Dermal	LD50	2,200 mg/kg (Rat) 12,200 mg/kg (Rabbit)
Irritation of eyes	acute	5,500 mg (Rabbit)
		Severe

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: Causes serious eye damage. Sensitization:

In case of skin contact: not sensitising

In case of inhalation: not sensitising

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test. Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

111-42-2 diethanolamine

NTP (National Toxicology Program)

None of the ingredients are listed.

(Contd. on page 7)

2B

[•] US

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

(Contd. of page 6)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Not applicable
Packing group	
DOT, ĂĎR, ÎMDG, IATA	Not applicable

(Contd. of page 7)

ACTIVE

Safety Data Sheet acc. to OSHA HCS

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code UN "Model Regulation": Not applicable. Not applicable

applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

111-42-2 diethanolamine

TSCA (Toxic Substances Control Act) Inventory:

111-42-2 diethanolamine

Hazardous Air Pollutants

111-42-2 diethanolamine

Proposition 65

Chemicals known to cause cancer:

111-42-2 diethanolamine

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

111-42-2 diethanolamine

Pennsylvania Right-to-Know List:

111-42-2 diethanolamine

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

111-42-2 diethanolamine

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

(Contd. on page 9)

AЗ

US

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

(Contd. of page 8
Hazard-determining components of labeling:
liethanolamine
Hazard statements
Causes skin irritation.
Causes serious eye damage.
Suspected of causing cancer.
May cause damage to organs through prolonged or repeated exposure.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Vash thoroughly after handling.
Vear protective gloves/protective clothing/eye protection/face protection.
f on skin: Wash with plenty of water.
mmediately call a poison center/doctor.
f in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do
Continue rinsing.
F exposed or concerned: Get medical advice/attention.
Get medical advice/attention if you feel unwell.
Take off contaminated clothing and wash it before reuse.
f skin irritation occurs: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment
Additional classification according to Decree on Hazardous Materials: Can cause cancer.
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 12/28/2023 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

US

Printing date 12/28/2023

Reviewed on 12/28/2023

Trade name: AttoPhos® Calibration Solution

(Contd. of page 9) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2