| 10/05/2022 | Kit Components | |
|--------------|--|--|
| Product code | Description | |
| V4281 | TAE Buffer, 40X, Molecular Biology Grade | |
| Components: | | |
| V428 | TAE, 40X (Tris-acetate-EDTA) (Tris-Acetate-EDTA) | |



Printing date 10/05/2022

Reviewed on 10/05/2022

Page 1/8

1 Identification

Product identifier Trade name: <u>TAE</u>, 40X (Tris-acetate-EDTA) Article number: V428 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.

GHS07

Skin Irrititation 2 H315 Causes skin irritation.

Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labeling: acetic acid Hazard statements Causes skin irritation.

(Contd. on page 2)

⁻ US

Printing date 10/05/2022

Reviewed on 10/05/2022

Trade name: TAE, 40X (Tris-acetate-EDTA)

| (Contd. of page 1) |
|--|
| Causes serious eye damage. |
| Precautionary statements |
| Wash thoroughly after handling. |
| Wear protective gloves / eye protection / face protection. |
| If on skin: Wash with plenty of water. |
| Immediately call a poison center/doctor. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing. |
| Take off contaminated clothing and wash it before reuse. |
| If skin irritation occurs: Get medical advice/attention. |
| Classification system: |
| NFPA ratings (scale 0 - 4) |
| Health = 3 |
| Fire = 0 |
| Reactivity = 0 |
| HMIS-ratings (scale 0 - 4) |
| Health $= 3$ |
| Fire = 0 |
| Reactivity = 0 |
| OSHA Hazard Overview (Criteria according to 29CFR1910.1200): |
| Toxic |
| Highly Toxic |
| Target Organ(s): Not applicable or unknown |
| Other hazards |
| Results of PBT and vPvB assessment |
| PBT: Not applicable. |
| vPvB: Not applicable. |
| |

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-19-7 acetic acid

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

(Contd. on page 3)

1-5%

US

Printing date 10/05/2022

Reviewed on 10/05/2022

(Contd. of page 2)

Trade name: TAE, 40X (Tris-acetate-EDTA)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special precautions are necessary if used correctly. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** None. **Support of the storage conditions:** None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid

PEL Long-term value: 25 mg/m³, 10 ppm

REL Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm

(Contd. on page 4)

US

Printing date 10/05/2022

*

Reviewed on 10/05/2022

Trade name: TAE, 40X (Tris-acetate-EDTA)

| (Contd. of page 3) |
|---|
| TLV Short-term value: 15 ppm |
| Long-term value: 10 ppm |
| Additional information: The lists that were valid during the creation were used as basis. |
| Exposure controls |
| Personal protective equipment: |
| General protective and hygienic measures: Wash hands before breaks and at the end of work. |
| Breathing equipment: Not required. |
| Protection of hands: Not required. |
| Material of gloves |
| Chemical: Acetic acid, CAS number 64-19-7 |
| Glove Material: Butyl rubber |
| Glove Thickness: $> or = 0.3 mm$ |
| Breakthrough Time: Approx. 480 min. |
| Please observe the instructions regarding permeability and breakthrough time which are provided by the |
| manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, |
| chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider |
| specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves |
| with care to avoid skin contamination. |
| |

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Use equipment for eye protection tested and approved under government NIOSH standards.

| Information on basic physical and | chemical properties | |
|-----------------------------------|---|--|
| General Information | | |
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 8.3 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 485 °C (905 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | · · | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |
| Density: | Not determined. | |
| Relative density | Not determined. | |

Printing date 10/05/2022

Reviewed on 10/05/2022

Trade name: TAE, 40X (Tris-acetate-EDTA)

| | | (Contd. of page |
|----------------------------------|--|-----------------|
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octan | ol/water): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent separation test | | |
| Organic solvents: | 4.8 % | |
| Water: | 74.4 % | |
| VOC content: | 4.80 % | |
| Solids content: | 30.3 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. *Possibility of hazardous reactions* No dangerous reactions known. *Conditions to avoid* No further relevant information available. *Incompatible materials:* No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: Causes skin irritation. on the eye: No data available. Sensitization: In case of skin contact: not sensitising In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

(Contd. on page 6)

⁰⁵

Printing date 10/05/2022

Reviewed on 10/05/2022

Trade name: TAE, 40X (Tris-acetate-EDTA)

(Contd. of page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number DOT, ADR, ADN, IMDG, IATA | Not hazardous for transportation Not applicable | |
|--|--|--|
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | Not applicable | |
| Transport hazard class(es) | | |
| DOT, ADR, ADN, IMDG, IATA | | |
| Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | Not applicable | |

Printing date 10/05/2022

Reviewed on 10/05/2022

Trade name: TAE, 40X (Tris-acetate-EDTA)

| | | (Contd. of page 6) |
|---|-----------------|--------------------|
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex II ofMARPOL73/78 and the IBC CodeNot applicable. | | |
| UN "Model Regulation": | Not applicable | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

64-19-7 acetic acid

Pennsylvania Right-to-Know List:

64-19-7 acetic acid

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger

(Contd. on page 8)

US

Printing date 10/05/2022

Reviewed on 10/05/2022

Trade name: TAE, 40X (Tris-acetate-EDTA)

(Contd. of page 7)

Hazard-determining components of labeling:
acetic acid
Hazard statements
Causes skin irritation.
Causes serious eye damage.
Precautionary statements
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
Immediately call a poison center/doctor.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.

National regulations: No information available

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison. WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 10/05/2022 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrititation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1