07/05/2023	Kit Components	
Product code	Description	
AS1290	Maxwell® 16 LEV Blood DNA Kit	
Components:		
A828D	Elution Buffer	
MC501C	Lysis Buffer	
MC109	Ethanol Solution	
AA399	Nanopure Water	
MC504	Wash Buffer	
MC302	Maxwell® C Resin	
MC101	Binding Buffer	
MC108	Isopropanol Solution	
MC500C	Proteinase K (PK) Solution	



Printing date 07/05/2023

Reviewed on 07/05/2023

1 Identification

Product identifier Trade name: <u>Elution Buffer</u> Article number: A828D Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0Reactivity = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Page 1/7

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Elution Buffer

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components: Not applicable

4 First-aid measures

Description of first aid measures

General information: No special measures required. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Dilute with plenty of water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

(Contd. on page 3)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Elution Buffer

(Contd. of page 2)

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

Select the glove material considering penetration time, rate of diffusion and degradation time.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Elution Buffer

	(Co	ntd. of page
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.99915 g/cm³ (8.33791 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	nter): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Solvent separation test		
Water:	<i>99.9 %</i>	
VOC content:	0.00 %	
Solids content:	0.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 5)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Elution Buffer

(Contd. of page 4)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program) None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	Not hazardous for transportation	
DOT, ADR, IMDG, IATA	Not applicable	
UN proper shipping name	None	
DOT, ADR, ADN, IMDG, IATA	<i>Not applicable</i>	

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Elution Buffer

		(Contd. of page 5
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	: II of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

None of the ingredients are listed.

Pennsylvania Right-to-Know List:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

(Contd. on page 7)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Elution Buffer

(Contd. of page 6)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

Water hazard class: Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit



Printing date 07/05/2023

Reviewed on 07/05/2023

Page 1/9

1 Identification

Product identifier Trade name: Lysis Buffer Article number: MC501C Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Acute Toxicity - Inhalation 4	H332 Harmful if inhaled.
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.

Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Warning

Hazard-determining components of labeling: guanidinium chloride sodium dodecyl sulphate Hazard statements Harmful if swallowed or if inhaled. Causes skin irritation.

(Contd. on page 2)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 1) Causes serious eye irritation. **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 1*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = *2Fire = 1 *Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Irritant **Primary route(s) of entry:** Dermal Inhalation Oral Target Organ(s): May affect Nervous system (Neurotoxin) May cause behavioral changes May affect Bones **Other hazards Results of PBT and vPvB assessment** *PBT:* Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:		
50-01-1	guanidinium chloride	25-50%
57-13-6	urea	25-50%
151-21-3	sodium dodecyl sulphate	1-5%

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

4 First-aid measures

Description of first aid measures General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation. Seek medical treatment in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. *After swallowing:* Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

57-13-6 urea

WEEL Long-term value: 10 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands: Not required.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

(Contd. of page 4)

Trade name: Lysis Buffer

Eye protection: Safety glasses

*

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and che	mical properties
General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	6.3-6.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	149 °C (300.2 °F)
•	
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	I I I I I I I I I I I I I I I I I I I
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	1.205 g/cm ³ (10.05573 lbs/gal)
Bulk density:	1,032.1-1,044.7 kg/m ³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Not delet mined.
Water:	Fully miscible.
Partition coefficient (n-octanol/water).	
	. Not determined.
Viscosity:	Not determined.
Dynamic: Kinematic:	
Ainematic:	Not determined.
Solvent separation test	
Water:	12.1 %
VOC content:	0.00 %
Solids content:	87.9 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

(Contd. on page 6)

[—] US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 5)

Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions Reacts with strong acids and oxidizing agents. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

50-01-1 guanidinium chloride

Oral LD50 475 mg/kg (Rat) Irritation of eyes acute 500 mg (Rabbit) Severe Irritation

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Irritating effect.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.

Harmful Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability Not available No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available

(Contd. on page 7)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd. of page 6)

Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number	Not hazardous for transportation
DOT, ADR, IMDG, IATA	Not applicable
UN proper shipping name	None
DOT, ÂDR, ÂDN, ĬMDG, IATA	Not applicable
Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA	
Class	Not applicable
Packing group	None
DOT, ĂĎR, ÎMDG, IATA	Not applicable
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 8)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

(Contd.	of page 7)

TSCA (Toxic Substances Control Act) Inventory:
All components have the value ACTIVE.
Hazardous Air Pollutants
None of the ingredients are listed.
Proposition 65
Chemicals known to cause cancer:
None of the ingredients are listed.
Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
New Jersey Right-to-Know List:
None of the ingredients are listed.
Pennsylvania Right-to-Know List:
None of the ingredients are listed.
Cancerogenity categories
EPA (Environmental Protection Agency)
57-13-6 urea II

57-13-6 urea

TLV (Threshold Limit Value)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Signal word Warning

Hazard-determining components of labeling:

guanidinium chloride sodium dodecyl sulphate Hazard statements Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious eye irritation. **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

(Contd. on page 9)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Lysis Buffer

If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

(Contd. of page 8)



Printing date 07/05/2023

Reviewed on 07/05/2023

Page 1/10

1 Identification

Product identifier Trade name: <u>Ethanol Solution</u> Article number: MC109 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.

GHS07

Eve Irritation 2A

H319 Causes serious eye irritation.

Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*

GHS02 GHS07

Signal word Danger Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

(Contd. of page 1) Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 3*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 2Fire = 3 *Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Irritant Flammable **Primary route(s) of entry:** Dermal Inhalation Target Organ(s): May cause Liver damage (Hepatotoxin) May affect Nervous system (Neurotoxin) **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-17-5 ethanol

75-100%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product. After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

(Contd. on page 3)

⁻ US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

(Contd. of page 2)

After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed Headache Dizziness Nausea Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources Wear protective clothing. **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location. **Information about storage in one common storage facility:** Not required.

(Contd. on page 4)

US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1000 ppm

A3

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Breathing equipment: Not required.

Protection of hands: Not required.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eve protection:**

Eye protection.

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Fluid Color: Colorless Odor: Alcohol-like Odor threshold: Not determined.

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

	(Contd. of page
Change in condition	The defense in a d
Melting point/Melting range:	Undetermined. $79.9C(172.4.9E)$
Boiling point/Boiling range: Flash point:	78 °C (172.4 °F) 14 °C (57.2 °F) (EPA 1010)
•	
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
Density at 20 °C (68 °F):	0.828 g/cm³ (6.90966 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water)	: Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent separation test	
Organic solvents:	80.0 %
Water:	20.0 %
VOC content:	80.00 %
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

(Contd. of page 5)

Acute toxi	•	
		t are relevant for classification:
64-17-5 etl	hanol	
Oral	LD50	7,060 mg/kg (Rat)
Inhalative	LC50/4 h	20,000 mg/l (Rat)
Primary ir		
		skin irritation.
on the eye:		effect.
Sensitizati		
		ct: not sensitising
		not sensitising
		ical information:
The produc	ct shows th	ne following dangers according to internally approved calculation methods for preparation
OECD test	guideline	471, Ames test.
Irritant		
Carcinoge	nic catego	ries
IARC (Inte	ernational	Agency for Research on Cancer)
64-17-5 et	hanol	
NTP (Nati	onal Toxic	cology Program)
None of the	e ingredier	nts are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

(Contd. of page 6)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol solutions
ADR	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION
IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA	ETHANOL SOLUTION
Transport hazard class(es)	
DOT	
PLANMAKE LICUD	
3	
Class	3 Flammable liquids
Label	3
ADR	
ADK	
3	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3 Fiammable liquias 3
	5
Packing group	

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

	(Contd. of page
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	: 30
EMS Number:	F-E,S-D
Stowage Category	Α
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, III

*

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

New Jersey Right-to-Know List:

64-17-5 ethanol

(Contd. on page 9)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

(Contd.	of page	8

AЗ

64-17-5 ethanol

Pennsylvania Right-to-Know List:

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

64-17-5 ethanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

- $Use \ explosion-proof \ electrical/ventilating/lighting/equipment.$
- Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 10)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Ethanol Solution

(Contd. of page 9) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A



Printing date 07/05/2023

Reviewed on 06/07/2023

1 Identification

Product identifier Trade name: <u>Nanopure Water</u> Article number: AA399 CAS Number: 7732-18-5 EC number: 231-791-2 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements

GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0*Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable.

Page 1/7

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Nanopure Water

vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 7732-18-5 water EC number: 231-791-2

4 First-aid measures

Description of first aid measures

General information: No special measures required. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions: Dilute with plenty of water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 3)

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Nanopure Water

(Contd. of page 2)

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** None. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: The lists that were valid during the creation were used as basis.

Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Select the glove material considering penetration time, rate of diffusion and degradation time. Material of gloves Gloves impermeable to the specific chemical substance. Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves

with care to avoid skin contamination.

Eye protection: Not required.

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Nanopure Water

		(Contd. of page
Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	tter): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Water:	100.0 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information: The substance is not subject to classification.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

(Contd. on page 5)

⁻US-

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Nanopure Water

(Contd. of page 4)

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Nanopure Water

		(Contd. of page 5
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act) Inventory:

ACTIVE

Hazardous Air Pollutants

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

New Jersey Right-to-Know List:

Substance is not listed.

Pennsylvania Right-to-Know List:

Substance is not listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements Not applicable

(Contd. on page 7)

US

Printing date 07/05/2023

Reviewed on 06/07/2023

Trade name: Nanopure Water

Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

Water hazard class: Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

(Contd. of page 6)



Printing date 07/05/2023

Reviewed on 07/05/2023

1 Identification

Product identifier Trade name: <u>Wash Buffer</u> Article number: MC504 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 1*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 1 Reactivity = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Page 1/7

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Wash Buffer

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

Polyethlyene Glycol

5-10%

4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

Additional information: For the wording of the listed risk phrases refer to section 15.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 3)

Printing date 07/05/2023

Reviewed on 07/05/2023

(Contd. of page 2)

Trade name: Wash Buffer

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

Polyethlyene Glycol

WEEL Long-term value: 10 mg/m³ (H); MW>200

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

Select the glove material considering penetration time, rate of diffusion and degradation time.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Fluid Color: Colorless Odor: Not determined Odor threshold: Not determined.

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Wash Buffer

pH-value at 20 °C (68 °F):6.1-6.3Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F) Flash point:Boiling point/Boiling range:100 °C (212 °F) Flash point:Flammability (solid, gaseous):Not applicable. Decomposition temperature:Not applicable. Decomposition temperature:Not applicable. Product is not selfigniting.Danger of explosion: Explosion limits: Lower:Product is not selfigniting.Lower: Upper:Not determined.Upper: Vapor pressure at 20 °C (68 °F):> 0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal) Relative density Not determined.Vapor density Vapor densityNot determined. Not determined.Vapor forescular in a model of the explosion in t		(Contd. of pa	age 3)
Meling point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:271 °C (519.8 °F)Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Undetermined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):>0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Viscosity:Fully miscible.Paritiion coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Solvent separation testNot determined.Water:86.3 %VOC content:0.00 %Solids content:13.7 %	pH-value at 20 °C (68 °F):	6.1-6.3	
Boiling point/Boiling range:100 °C (212 °F)Flash point:271 °C (519.8 °F)Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not determined.Upper:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):>0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Viscosity:Not determined.Dynamic:Not determined.Viscosity:Not determined.Solubility in / Miscibility withFully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Solvent separation testNot determined.Water:86.3 %VOC content:0.00 %Solids content:13.7 %	Change in condition		
Flash point:271 °C (519.8 °F)Flammability (solid, gaseous):Not applicable. Not determined.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):>0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent separation test Water:Not determined.Solvent separation test Water:Not determined.Solids content:13.7 %	Melting point/Melting range:	Undetermined.	
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: It determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): >0 hPa Density at 20 °C (68 °F): 1.038 g/cm³ (8.66211 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Viscosity: Not determined. Solvent separation test Water: Water: 86.3 % VOC content: 0.00 % Solids content: 13.7 %	Boiling point/Boiling range:	100 °C (212 °F)	
Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):> 0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withFully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test Water:86.3 % 0.00 %Solids content:13.7 %	Flash point:	271 °C (519.8 °F)	
Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):> 0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent separation testKater:Water:86.3 %VOC content:0.00 %Solids content:13.7 %		Not applicable.	
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Product does not present an explosion hazard.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):>0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Viscosity:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent separation testKater:Water:86.3 %VOC content:0.00 %Solids content:13.7 %	Decomposition temperature:	Not determined.	
Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):> 0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent separation testKinematic:Water:86.3 %VOC content:0.00 %Solids content:13.7 %	Ignition temperature:	Product is not selfigniting.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):>0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):>0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor advectoriesNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %	Explosion limits:		
Vapor pressure at 20 °C (68 °F):>0 hPaDensity at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:0.00 %Solids content:13.7 %	Lower:	Not determined.	
Density at 20 °C (68 °F):1.038 g/cm³ (8.66211 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic:Not determined.Kinematic:Not determined.Solvent separation testWater:86.3 %VOC content:0.00 %Solids content:13.7 %		Not determined.	
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %VOC content:0.00 %Solids content:13.7 %	Vapor pressure at 20 °C (68 °F):	>0 hPa	
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %	Density at 20 °C (68 °F):	1.038 g/cm³ (8.66211 lbs/gal)	
Evaporation rateNot determined.Evaporation rateNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %	Relative density	Not determined.	
Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic:Not determined.Kinematic:Not determined.Solvent separation test Water:86.3 % 0.00 %Solids content:13.7 %	1 0	Not determined.	
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %		Not determined.	
Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %			
Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %			
Dynamic:Not determined.Kinematic:Not determined.Solvent separation test86.3 %Water:86.3 %VOC content:0.00 %Solids content:13.7 %	00	r): Not determined.	
Kinematic:Not determined.Solvent separation test Water:86.3 % 0.00 %VOC content:0.00 %Solids content:13.7 %	•		
Solvent separation testWater:86.3 %VOC content:0.00 %Solids content:13.7 %	•		
Water: 86.3 % VOC content: 0.00 % Solids content: 13.7 %	Kinematic:	Not determined.	
VOC content: 0.00 % Solids content: 13.7 %			
Solids content: 13.7 %			
	VOC content:	0.00 %	
Other informationNo further relevant information available.	Solids content:	13.7 %	
	Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect.

(Contd. on page 5)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Wash Buffer

(Contd. of page 4)

Sensitization: In case of skin contact: not sensitising

In case of inhalation: not sensitising

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment *PBT:* Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number

Not hazardous for transportation

(Contd. on page 6)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Wash Buffer

		(Contd. of page
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

26628-22-8 sodium azide

Pennsylvania Right-to-Know List:

26628-22-8 sodium azide

(Contd. on page 7)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Wash Buffer

(Contd. of page 6)

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value) 26628-22-8 sodium azide

A4: Not classifiable as human carcinogen

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit



Printing date 07/05/2023

Reviewed on 07/05/2023

1 Identification

Product identifier Trade name: <u>Maxwell® C Resin</u> Article number: MC302 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0Reactivity = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Page 1/7

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Maxwell® C Resin

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components: Not applicable

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions: Dilute with plenty of water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 3)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Maxwell® C Resin

(Contd. of page 2)

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

Select the glove material considering penetration time, rate of diffusion and degradation time.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

9 Physical and chemical properties Information on basic physical and chemical properties **General Information** Appearance: Form: Fluid Color: Colorless **Odorless** Odor: **Odor threshold:** Not determined. 3-10 *pH-value at 20 °C (68 °F):* (Contd. on page 4) 1 IS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Maxwell® C Resin

		(Contd. of page
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.01527 g/cm³ (8.47243 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Solvent separation test		
Water:	99.0 %	
VOC content:	0.00 %	
Solids content:	1.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available.
Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
Possibility of hazardous reactions No dangerous reactions known.
Conditions to avoid No further relevant information available.
Incompatible materials: No further relevant information available.
Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect.

(Contd. on page 5)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Maxwell® C Resin

(Contd. of page 4)

Sensitization: In case of skin contact: not sensitising

In case of inhalation: not sensitising

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 6)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Maxwell® C Resin

(Contd. of page 5)

4 Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable
Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA Class	Not applicable
Packing group DOT, ADR, IMDG, IATA	None Not applicable
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex I MARPOL 73/78 and the IBC Code	I of Not applicable.
UN "Model Regulation":	Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

9004-34-6 Cellulose

26628-22-8 sodium azide

(Contd. on page 7)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Maxwell® C Resin

	(Contd. of page 6)
Pennsylvania Right-to-Know List:	
9004-34-6 Cellulose	
26628-22-8 sodium azide	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
TLV (Threshold Limit Value)	
26628-22-8 sodium azide	A4: Not classifiable as human carcinogen
NIOSH-Ca (National Institute for Occupational Sa	afety and Health)
None of the ingredients are listed.	
GHS label elements Not applicable	
Signal word Not applicable	
Hazard statements Not applicable	

Chemical safety assessment

Water hazard class: Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit



Printing date 07/05/2023

Reviewed on 07/05/2023

1 Identification

Product identifier Trade name: <u>Binding Buffer</u> Article number: MC101 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0Reactivity = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Page 1/7

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Binding Buffer

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

Polyethlyene Glycol

20-25%

4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

Additional information: For the wording of the listed risk phrases refer to section 15.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.

 Environmental precautions:

 Dilute with plenty of water.

 Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up:

 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Reference to other sections

 No dangerous substances are released.

 See Section 7 for information on safe handling.

 See Section 13 for disposal information.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Binding Buffer

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

Polyethlyene Glycol

WEEL Long-term value: 10 mg/m³ (H); MW>200

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

Select the glove material considering penetration time, rate of diffusion and degradation time.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Fluid Color: Colorless Odor: Odorless Odor threshold: Not determined.

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Binding Buffer

		(Contd. of page 2
<i>pH-value at 20 °C (68 °F):</i>	6.3-6.4	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	>0 hPa	
Density at 20 °C (68 °F):	1.168 g/cm³ (9.74696 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water):	Not determined.	
Viscosity: Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Water:	56.6 %	
VOC content:	0.00 %	
Solids content:	43.3 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect.

(Contd. on page 5)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Binding Buffer

(Contd. of page 4)

Sensitization: In case of skin contact: not sensitising

In case of inhalation: not sensitising

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment *PBT:* Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number

Not hazardous for transportation

(Contd. on page 6)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Binding Buffer

		(Contd. of page
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

26628-22-8 sodium azide

Pennsylvania Right-to-Know List:

26628-22-8 sodium azide

(Contd. on page 7)

[–] ÚS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Binding Buffer

(Contd. of page 6)

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value) 26628-22-8 sodium azide

A4: Not classifiable as human carcinogen

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit



Printing date 07/05/2023

Reviewed on 07/05/2023

Page 1/11

1 Identification

Product identifier Trade name: <u>Isopropanol Solution</u> Article number: MC108 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.

GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labeling: 2-Propanol

(Contd. on page 2)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

(Contd. of pag	ge 1)
Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to	do.
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 3	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
Health = 1	
Fire = 3	
Reactivity = 0	
OSHA Hazard Overview (Criteria according to 29CFR1910.1200):	
Irritant	
Flammable	
Primary route(s) of entry:	
Dermal	
Inhalation	
Target Organ(s):	
May affect Nervous system (Neurotoxin)	
May cause Kidney damage (Nephrotoxin)	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
<i>vPvB:</i> Not applicable.	
	US
	- 05

(Contd. on page 3)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

(Contd. of page 2)

50-75%

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

67-63-0 2-Propanol

Additional information: For the wording of the listed risk phrases refer to section 15.

*

Description of first aid measures

General information:

4 First-aid measures

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. *After swallowing:* If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Nausea

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

(Contd. on page 4)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

(Contd. of page 3)

Environmental precautions:
Prevent seepage into sewage system, workpits and cellars.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

67-63-0 2-Propanol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- *TLV* Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

Ingredients with biological limit values:

67-63-0 2-Propanol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Printing date 07/05/2023

*

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

(Contd. of page 4)

Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
Do not eat or drink while working.
Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
respiratory protective device that is independent of circulating air.
Protection of hands: Not required.
Material of gloves
Gloves impermeable to the specific chemical substance.
Please observe the instructions regarding permeability and breakthrough time which are provided by the
manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to,
chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider
specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves
with care to avoid skin contamination.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Eye protection:
Safety glasses
Use equipment for eye protection tested and approved under government NIOSH standards.

Information on basic physical and	chemical properties
General Information	
Appearance:	EL.: 1
Form:	Fluid Colorless
Color: Odor:	
Odor: Odor threshold:	Alcohol-like Not determined.
Ouor inresnoia:	Not determined.
Change in condition	
Melting point/Melting range:	-89 °C (-128.2 °F)
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F) (EPA 1010)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	······ · · · · · · · · · · · · · · · ·
Lower:	2 Vol %

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

		(Contd. of page
Upper:	12 Vol %	
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)	
Density at 20 °C (68 °F):	0.8495 g/cm ³ (7.08908 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	2.27 mPas	
Kinematic:	Not determined.	
Solvent separation test		
Organic solvents:	70.0 %	
Water:	30.0 %	
VOC content:	70.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

67-63-0 2-Propanol

 Oral
 LD50
 4,570 mg/kg (Rat)

 Dermal
 LD50
 13,400 mg/kg (Rat)

 Inhalative
 LC50/4 h
 30 mg/l (Rat)

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: Irritating effect. Sensitization:

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.

(Contd. on page 7)

US

(Contd. of page 6)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

67-63-0 2-Propanol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN1993	
UN proper shipping name DOT	Flammable liquids, n.o.s. (Isopropanol)	

Printing date 07/05/2023

Trade name: Isopropanol Solution

Reviewed on 07/05/2023

	(Contd. of page 7
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYLALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL) solution)
Transport hazard class(es)	
DOT	
P.MMARE LODO	
Class Label	3 Flammable liquids 3
ADR	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler coa EMS Number:	le): 33 F-E,S-E
Stowage Category	A A
Transport in bulk according to Annex II o MARPOL 73/78 and the IBC Code	f Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)

US –

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

(Contd. of page 8)

IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 2-Propanol

TSCA (Toxic Substances Control Act) Inventory:

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

67-63-0 2-Propanol

Pennsylvania Right-to-Know List:

67-63-0 2-Propanol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

67-63-0 2-Propanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

(Contd. on page 10)

A4

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

(Contd. of page 9)
Hazard-determining components of labeling:
2-Propanol
Hazard statements
Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Isopropanol Solution

	(Contd. of page 10)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	



Printing date 07/05/2023

Reviewed on 07/05/2023

Page 1/8

1 Identification

Product identifier Trade name: <u>Proteinase K (PK) Solution</u> Article number: MC500C Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger

 Hazard-determining components of labeling:

 Proteinase, Tritirachium album serine

 Hazard statements

 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

 Precautionary statements

 Avoid breathing dust/fume/gas/mist/vapors/spray

 [In case of inadequate ventilation] wear respiratory protection.

 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

 If experiencing respiratory symptoms: Call a poison center/doctor.

(Contd. on page 2)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Proteinase K (PK) Solution

Dianage of contents/container in accordance with local/unional/actional/intermetional negulation	(Contd. of page 1)
Dispose of contents/container in accordance with local/regional/national/international regulation.	<i>S</i> .
Classification system:	
$NFPA \ ratings \ (scale \ 0 - 4)$ $Health = 2$	
Fire = 1	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
Health = 2	
Fire = 1	
Reactivity = 0	
OSHA Hazard Overview (Criteria according to 29CFR1910.1200):	
Irritant	
Sensitizer	
Primary route(s) of entry: Inhalation	
Target Organ(s): May cause Kidney damage (Nephrotoxin)	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
H H . Noi applicable.	

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

56-81-5 glycerol

39450-01-6 Proteinase, Tritirachium album serine

4 First-aid measures

Description of first aid measures

General information: Take affected persons out into the fresh air. After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed Allergic reactions Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

25-50%

1-5%

Printing date 07/05/2023

None known

Reviewed on 07/05/2023

Trade name: Proteinase K (PK) Solution

Special hazards arising from the substance or mixture

No further relevant information available. Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Wear protective clothing. **Environmental precautions:** Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Work only in fume cabinet. Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

(Contd. of page 2)

Printing date 07/05/2023

Odor threshold:

Lower:

Upper:

Vapor pressure at 20 °C (68 °F):

Reviewed on 07/05/2023

Trade name: Proteinase K (PK) Solution

(Contd. of page 3)

Exposure controls	
Personal protective equip	
General protective and h	
Keep away from foodstuf	
	oiled and contaminated clothing.
Wash hands before break	U U
Do not eat or drink while	working.
Breathing equipment:	
	or low pollution use respiratory filter device. In case of intensive or longer exposure use vice that is independent of circulating air.
Protection of hands: Not	required.
Material of gloves	
Gloves impermeable to the	ne specific chemical substance.
Please observe the inst manufacturer/supplier of chemical compatibility, a specific local conditions with care to avoid skin co The selection of the suita varies from manufacture of the glove material can Eye protection: Safety glasses	ructions regarding permeability and breakthrough time which are provided by the the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, lexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider under which the product is used such as the danger of cuts and abrasion. Remove gloves
Ose equipment for eye pr	olection tested and approved under government 1410511 standards.
9 Physical and chemic	al properties
	ysical and chemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Not determined

<i>pH-value at 20 °C (68 °F):</i>	6.9-7.4
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. 100 °C (212 °F) 160 °C (320 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting: Decomposition temperature:	400 °C (752 °F) Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion: Explosion limits:	Product does not present an explosion hazard.

Not determined.

Not determined.

<0.1 hPa

Not determined.

(Contd. on page 5)

US

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Proteinase K (PK) Solution

		(Contd. of page
Vapor pressure at 50 °C (122 °F)): ~0 hPa	
Density at 20 °C (68 °F):	1.119 g/cm ³ (9.33806 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/w	vater): Not determined.	
Viscosity:	,	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Organic solvents:	50.0 %	
Water:	47.9 %	
VOC content:	0.00 %	
Solids content:	2.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. *Possibility of hazardous reactions* No dangerous reactions known. *Conditions to avoid* No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

56-81-5 glycerol

Oral LD50 1,200 mg/kg (Rat)

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: No data available.

Sensitization: Sensitization possible through inhalation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.

Harmful

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

(Contd. on page 6)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Proteinase K (PK) Solution

(Contd. of page 5)

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment *PBT:* Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	Not hazardous for transportation Not applicable
UN proper shipping name	None
DOT, ADR, ADN, IMDG, IATA	Not applicable
Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA	
Class	Not applicable
Packing group	None

ACTIVE

Safety Data Sheet acc. to OSHA HCS

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Proteinase K (PK) Solution

		(Contd. of page 6)
DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

56-81-5 glycerol

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

56-81-5 glycerol

Pennsylvania Right-to-Know List:

56-81-5 glycerol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

(Contd. on page 8)

Printing date 07/05/2023

Reviewed on 07/05/2023

Trade name: Proteinase K (PK) Solution

(Contd. of page 7)

 Hazard-determining components of labeling:

 Proteinase, Tritirachium album serine

 Hazard statements

 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

 Precautionary statements

 Avoid breathing dust/fume/gas/mist/vapors/spray

 [In case of inadequate ventilation] wear respiratory protection.

 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

 If experiencing respiratory symptoms: Call a poison center/doctor.

 Dispose of contents/container in accordance with local/regional/national/international regulations.

 Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 07/05/2023 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Sensitization - Respiratory 1: Respiratory sensitisation - Category 1