01/11/2024	Kit Components
Product code	Description
E1702	QuantiLum® Recombinant Luciferase, 5mg
Components:	
E170	QuantiLum® Recombinant Luciferase



#### Printing date 01/11/2024

## Reviewed on 01/10/2024

Page 1/9

## 1 Identification

**Product identifier Trade name:** <u>QuantiLum® Recombinant Luciferase</u> **Article number:** E170 **Application of the substance / the mixture** For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

#### Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

Classification of the substance or mixture

GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

#### Label elements

*GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms* 



Signal word Warning

Hazard-determining components of labeling: ethylene glycol Hazard statements May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Get medical advice/attention if you feel unwell.

(Contd. on page 2)

US

Printing date 01/11/2024

Reviewed on 01/10/2024

## Trade name: QuantiLum® Recombinant Luciferase

(Contd. of page 1)
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
Health = 0
Fire = 1
Reactivity = 0
HMIS-ratings (scale 0 - 4)
Health = 1
Fire = 1
Reactivity = 0
OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Cumulative Effects (Chronic hazard)
Primary route(s) of entry: Dermal
Target Organ(s):
May cause Liver damage (Hepatotoxin)
May affect Nervous system (Neurotoxin)
May cause Kidney damage (Nephrotoxin)
Other hazards
Results of PBT and vPvB assessment
<b>PBT:</b> Not applicable.
vPvB: Not applicable.

## **3** Composition/information on ingredients

**Chemical characterization: Mixtures** 

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:		
107-21-1	ethylene glycol	25-50%
56-81-5	glycerol	10-15%
61970-00-1	Luciferase, recombinant	1-5%
Additional information: For the wording of the listed risk phrases refer to section 15.		

## 4 First-aid measures

#### Description of first aid measures

General information: Take affected persons out into the fresh air.

*After inhalation: If the patient feels unwell or is concerned, obtain medical advice.* 

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

*After swallowing:* If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

*Most important symptoms and effects, both acute and delayed None* 

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Printing date 01/11/2024

Reviewed on 01/10/2024

#### Trade name: QuantiLum® Recombinant Luciferase

(Contd. of page 2)

#### **5** Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

*CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture* 

None known

No further relevant information available.

Advice for firefighters No special advice.

Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

## 7 Handling and storage

Handling:

**Precautions for safe handling** Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. **Information about protection against explosions and fires:** Keep respiratory protective device available.

*Conditions for safe storage, including any incompatibilities Storage:* 

**Requirements to be met by storerooms and receptacles:** Do not store below -20°C. Protected from light. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** None.

*Specific end use(s)* No further relevant information available.

#### 8 Exposure controls/personal protection

## **Control parameters**

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

US

Printing date 01/11/2024

\*

Reviewed on 01/10/2024

# Trade name: QuantiLum® Recombinant Luciferase

	(Contd. of page 3)		
107-21-1 ethylene glycol			
TLV Short-term value: 10** mg/m <sup>3</sup> , 50* ppm			
Long-term value: 25* ppm			
*vapor fraction: **inh. fraction, aerosol only, A4			
WEEL I(2)			
56-81-5 glycerol			
PEL Long-term value: 15* 5** mg/m <sup>3</sup>			
mist; *total dust **respirable fraction			
TLV TLV withdrawn-insufficient data human occup. exp.			
Additional information: The lists that were valid during the creation were used as basis.			
Exposure controls			
Personal protective equipment:			
General protective and hygienic measures:			
Keep away from foodstuffs, beverages and feed.			
Immediately remove all soiled and contaminated clothing.			
Wash hands before breaks and at the end of work.			
Store protective clothing separately.			
Do not eat or drink while working.			
Breathing equipment:			
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.			
Protection of hands: Not required.			
Material of gloves			
Gloves impermeable to the specific chemical substance. Please observe the instructions regarding permeability and breakthrough time which			
manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.			
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.			
Eye protection:			
Safety glasses			
Use equipment for eye protection tested and approved under government NIOSH standards.			
9 Physical and chemical properties			

9 Physical and chemical proper	rties	
Information on basic physical and General Information	chemical properties	
Appearance: Form: Color:	Fluid Colorless	
Odor: Odor threshold:	Not determined Not determined.	
pH-value at 20 °C (68 °F):	7.8	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
		(Contd. on page 5)

Printing date 01/11/2024

## Trade name: QuantiLum® Recombinant Luciferase

Reviewed	on	01/10/2024	

		(Contd. of page
Flash point:	111 °C (231.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	400 °C (752 °F)	
<b>Decomposition temperature:</b>	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	3.2 Vol %	
Upper:	53 Vol %	
Vapor pressure at 20 °C (68 °F):	<0.1 hPa	
Density at 20 °C (68 °F):	1.1 g/cm <sup>3</sup> (9.1795 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water)	: Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Organic solvents:	15.0 %	
Water:	50.1 %	
VOC content:	0.00 %	
Solids content:	34.9 %	
Other information	No further relevant information available.	

## **10 Stability and reactivity**

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Strong acids Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

107-21-1 ethylene glycol

Oral LD50 4,500 mg/kg (Rat)

(Contd. on page 6)

US

Printing date 01/11/2024

Reviewed on 01/10/2024

#### Trade name: QuantiLum® Recombinant Luciferase

(Contd. of page 5)

Dermal LD50 9,530 mg/kg (Rabbit)

## Primary irritant effect:

on the skin: Causes skin irritation. on the eye: No data available.

#### Sensitization:

In case of skin contact: not sensitising

# In case of inhalation: not sensitising

Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.* 

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

#### NTP (National Toxicology Program)

None of the ingredients are listed.

#### **OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

## **12 Ecological information**

#### Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

## **13 Disposal considerations**

#### Waste treatment methods

#### **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

US

Printing date 01/11/2024

\*

Reviewed on 01/10/2024

(Contd. of page 6)

# Trade name: QuantiLum® Recombinant Luciferase

Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	<i>Not applicable</i>	

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
107-21-1 ethylene glycol	
7783-20-2 ammonium sulphate	
TSCA (Toxic Substances Control Act) Inventory:	
107-21-1 ethylene glycol	ACTIVE
56-81-5 glycerol	ACTIVE
61970-00-1 Luciferase, recombinant	*
Hazardous Air Pollutants	
107-21-1 ethylene glycol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
	(Contd. on page 8)

US

Printing date 01/11/2024

Reviewed on 01/10/2024

(Contd. of page 7)

A4

#### Trade name: QuantiLum® Recombinant Luciferase

Chemicals known to cause deve	elopmental toxicity:

107-21-1 ethylene glycol

New Jersey Right-to-Know List: 107-21-1 ethylene glycol

56-81-5 glycerol

Pennsylvania Right-to-Know List:

107-21-1 ethylene glycol

56-81-5 glycerol

7783-20-2 ammonium sulphate

#### Cancerogenity categories

#### EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

107-21-1 ethylene glycol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Warning

Hazard-determining components of labeling:

ethylene glycol

Hazard statements

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. *Precautionary statements* 

Do not breathe dust/fume/gas/mist/vapors/spray.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment

*Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.* 

## **16 Other information**

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: Date of preparation / last revision 01/11/2024 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

US

Printing date 01/11/2024

Reviewed on 01/10/2024

# Trade name: QuantiLum® Recombinant Luciferase

	(Contd. of page 8)
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	