05/19/2023	Kit Components		
Product code	Description		
E2940	<b>Dual-Glo® Luciferase Assay System</b>		
Components:			
E297A	Dual-Glo® Luciferase Assay Substrate		
E298	Dual-Glo® Luciferase Buffer		

Dual-Glo® Stop and Glo® Substrate

 $Dual\text{-}Glo \$ \ Stop \ \& \ Glo \$ \ Buffer$ 

E313

E314





Printing date 05/19/2023 Reviewed on 05/19/2023

## 1 Identification

Product identifier

Trade name: Dual-Glo® Luciferase Assay Substrate

Article number: E297A

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

**Information department:** SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA

and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Self-heating substances and mixtures 1 H251 Self-heating: may catch fire.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/19/2023 Printing date 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

## Hazard pictograms







GHS05

### Signal word Danger

### Hazard-determining components of labeling:

DL-Dithiothreitol

sodium hydrosulphite

#### Hazard statements

Self-heating: may catch fire.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

## Precautionary statements

Keep cool. Protect from sunlight.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

Immediately call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

Maintain air gap between stacks/pallets.

Store bulk masses greater than 0.01 lbs at temperatures not exceeding - 4°F.

Store away from other materials.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Classification system:

#### NFPA ratings (scale 0 - 4)

Health = 3

Fire = 2

Reactivity = 0

## HMIS-ratings (scale 0 - 4)

Health = 3

Fire = 2

Reactivity = 0

## OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Highly Toxic

## Primary route(s) of entry:

Inhalation

Oral

## Target Organ(s):

May affect Nervous system (Neurotoxin)

Affects Pulmonary system (Lungs)

Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable.

(Contd. on page 3)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

vPvB: Not applicable.

(Contd. of page 2)

## 3 Composition/information on ingredients

### Chemical characterization: Mixtures

#### Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:			
3483-12-3 DL-Dithiothreitol	50-75%		
7775-14-6 sodium hydrosulphite	1-5%		

Additional information: For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

### Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water.

## After swallowing:

Immediately call a doctor.

Seek immediate medical advice.

#### Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

#### Extinguishing media

#### Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

(Contd. of page 3)

 $A void\ formation\ of\ dust.$ 

Wear protective clothing.

Environmental precautions: Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to Section 13.

Pick up mechanically.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

Handling:

**Precautions for safe handling** Thorough dedusting.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

#### Control parameters

## Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

**Exposure** controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

**Breathing equipment:** Not required. **Protection of hands:** Not required.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

(Contd. of page 4)

## Eye protection:

Tightly sealed goggles

Use equipment for eye protection tested and approved under government NIOSH standards.

0.01	1 1		1	7.
9 Physical	ana	cnomic	ai nyona	2011100
) I mysicui	unu	CHICH ILL	$u \cdot p \cdot v p \cdot c$	

Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Solid
Color: Colorless
Odor: Odorless
Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:130 °C (266 °F)Flash point:Not applicable.

**Flammability (solid, gaseous):** Not determined. **Decomposition temperature:** Not determined.

**Ignition temperature:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

Explosion limits:

Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.

**Density at 20 °C (68 °F):** 1.027 g/cm³ (8.57032 lbs/gal)

Relative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.

Solubility in / Miscibility with

Water: Slightly soluble. Partition coefficient (n-octanol/water): Not determined.

Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

Solvent separation test

 Water:
 2.0 %

 VOC content:
 0.00 %

 Solids content:
 98.0 %

*Other information* No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

(Contd. of page 5)

**Possibility of hazardous reactions** Reacts with acids, alkalis and oxidizing agents.

**Conditions to avoid** No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Sulfur oxides (SOx)

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

## 11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

3483-12-3 DL-Dithiothreitol

Oral LD50 400 mg/kg (Rat)

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: Causes serious eye damage.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Harmful Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

**Toxicity** 

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

**Remark:** Not available

Additional ecological information:

General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 7)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

(Contd. of page 6)

## Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

## 13 Disposal considerations

## Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

1 / //	7		C	. •
IAI	Vanc	port in	torma	TON
TTT	I WILLS	ρυπιπ	JUI III III	uvu

UN-Number DOT, ADR, IMDG, IATA	UN3190
UN proper shipping name	
DOT	Self-heating solid, inorganic, n.o.s. (Sodium dithionite)
ADR	3190 SELF-HEATING SOLID, INORGANIC, N.O.S. (SODIUM
	DITHIONITE (SODIUM HYDROSULPHITE))
IMDG, IATA	SELF-HEATING SOLID, INORGANIC, N.O.S. (SODIUM
	DITHIONITE (SODIUM HYDROSULPHITE))

## Transport hazard class(es)

DOT



Class 4.2 Substances liable to spontaneous combustion Label 4.2

ADR



Class 4.2 (S3) Substances liable to spontaneous combustion

Label 4.2

(Contd. on page 8)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

(Contd. of page 7)

## IMDG, IATA



Class 4.2 Substances liable to spontaneous combustion

Label 4.2

Packing group

DOT, ADR, IMDG, IATA

Environmental hazards:

Marine pollutant: No

Special precautions for user Warning: Substances liable to spontaneous combustion

Hazard identification number (Kemler code): 30
EMS Number: F-A,S-J
Stowage Category E

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

*IMDG* 

Limited quantities (LQ)

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

UN "Model Regulation": UN 3190 SELF-HEATING SOLID, INORGANIC, N.O.S.

(SODIUM DITHIONITE (SODIUM HYDROSULPHITE)), 4.2, II

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

3483-12-3 DL-Dithiothreitol

7775-14-6 sodium hydrosulphite

Hazardous Air Pollutants

None of the ingredients are listed.

(Contd. on page 9)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

(Contd. of page 8)

#### **Proposition 65**

#### Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

## New Jersey Right-to-Know List:

7775-14-6 sodium hydrosulphite

## Pennsylvania Right-to-Know List:

7775-14-6 sodium hydrosulphite

#### Cancerogenity categories

## EPA (Environmental Protection Agency)

None of the ingredients are listed.

#### TLV (Threshold Limit Value)

None of the ingredients are listed.

### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Signal word Danger

#### Hazard-determining components of labeling:

DL-Dithiothreitol

sodium hydrosulphite

#### Hazard statements

Self-heating: may catch fire.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

#### Precautionary statements

Keep cool. Protect from sunlight.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

Immediately call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

*Take off contaminated clothing and wash it before reuse.* 

If skin irritation occurs: Get medical advice/attention.

Maintain air gap between stacks/pallets.

Store bulk masses greater than 0.01 lbs at temperatures not exceeding - 4°F.

Store away from other materials.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Assay Substrate

(Contd. of page 9)

### Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330

chemicalregulatory@promega.com

#### Contact:

## Date of preparation / last revision 05/19/2023

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: Internation Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Self-heating substances and mixtures 1: Self-heating substances and mixtures - Category 1

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

HS



Page 1/8

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2023 Reviewed on 05/19/2023

## 1 Identification

Product identifier

Trade name: Dual-Glo® Luciferase Buffer

Article number: E298

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA

and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

Classification of the substance or mixture



GHS07

Eye Irritation 2A H319 Causes serious eye irritation.

#### Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



GHS07

Signal word Warning

Hazard statements

Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

*If eye irritation persists: Get medical advice/attention.* 

(Contd. on page 2)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Buffer

(Contd. of page 1)

Classification system:

NFPA ratings (scale 0 - 4)

Health = 2

Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = \*2 Fire = 0 Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant

Primary route(s) of entry: Dermal

Target Organ(s): Not applicable or unknown

Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

#### Dangerous components:

127087-87-0 Nonylphenol Ethoxylate

1-5%

Additional information: For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

## Description of first aid measures

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

## Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

(Contd. on page 3)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Buffer

Advice for firefighters No special advice

(Contd. of page 2)

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

## **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

## Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

### Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

**Precautions for safe handling** No special precautions are necessary if used correctly.

Information about protection against explosions and fires: The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

## Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

## Exposure controls

#### Personal protective equipment:

## General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

**Breathing equipment:** Not required.

**Protection of hands:** Not required.

## Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to,

(Contd. on page 4)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Buffer

(Contd. of page 3)

chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

Information on basic physical and che	mical properties	
General Information		
Appearance:	Fluid	
Form: Color:	Colorless	
Odor:	Not determined	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7.4	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water):	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Water:	91.2 %	
VOC content:	0.00 %	

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Buffer

(Contd. of page 4)

## 10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known. **Conditions to avoid** No further relevant information available. **Incompatible materials:** No further relevant information available.

*Hazardous decomposition products:* No dangerous decomposition products known.

## 11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification: No data available

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: Irritating effect.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Irritant

## Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

**Toxicity** 

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects: Remark: Not available

Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment

**PBT:** Not applicable.

(Contd. on page 6)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Buffer

vPvB: Not applicable.

Other adverse effects No further relevant information available.

(Contd. of page 5)

## 13 Disposal considerations

#### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	Not hazardous for transportation	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name	None	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA		
Class	Not applicable	
Packing group	None	
DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not applicable	

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

127087-87-0 Nonylphenol Ethoxylate

TSCA (Toxic Substances Control Act) Inventory:

127087-87-0 Nonylphenol Ethoxylate

Hazardous Air Pollutants

None of the ingredients are listed.

(Contd. on page 7)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Luciferase Buffer

(Contd. of page 6)

#### **Proposition 65**

#### Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

## New Jersey Right-to-Know List:

7775-14-6 sodium hydrosulphite

## Pennsylvania Right-to-Know List:

7775-14-6 sodium hydrosulphite

#### Cancerogenity categories

## EPA (Environmental Protection Agency)

None of the ingredients are listed.

#### TLV (Threshold Limit Value)

None of the ingredients are listed.

### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Warning

#### Hazard statements

Causes serious eye irritation.

### Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

## Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph:(608)274-4330

chemicalregulatory@promega.com

#### Contact:

Date of preparation / last revision 05/19/2023

(Contd. on page 8)

Printing date 05/19/2023 Reviewed on 05/19/2023

## Trade name: Dual-Glo® Luciferase Buffer

(Contd. of page 7)

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: Internation Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

us.



Page 1/10

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2023 Reviewed on 05/19/2023

## 1 Identification

Product identifier

Trade name: Dual-Glo® Stop and Glo® Substrate

Article number: E313

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA

and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irritation 2A H319 Causes serious eye irritation.

## Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms





GHS02

GHS07

Signal word Danger

Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

Printing date 05/19/2023 Reviewed on 05/19/2023

## Trade name: Dual-Glo® Stop and Glo® Substrate

(Contd. of page 1)

Keep container tightly closed.

*Ground/bond container and receiving equipment.* 

 ${\it Use\ explosion-proof\ electrical/ventilating/lighting/equipment.}$ 

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

*In case of fire: Use CO2, powder or water spray to extinguish.* 

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Classification system:

## NFPA ratings (scale 0 - 4)

Health = 2

Fire = 3

Reactivity = 0

### HMIS-ratings (scale 0 - 4)

Health = 2

Fire = 3

Reactivity = 0

#### OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Irritant

Flammable

## Primary route(s) of entry:

Dermal

Inhalation

## Target Organ(s):

May cause Liver damage (Hepatotoxin)

May affect Nervous system (Neurotoxin)

Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

## Chemical characterization: Mixtures

### Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangero	us components:	
64-17-5	ethanol	75-100%
56-81-5	glycerol	10-15%

Additional information: For the wording of the listed risk phrases refer to section 15.

110

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

(Contd. of page 2)

## 4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Headache Dizziness Nausea

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

### 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

### **Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

## Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

**Precautions for safe handling** Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

(Contd. of page 3)

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

#### 64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1000 ppm

A3

## 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m³
mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

Additional information: The lists that were valid during the creation were used as basis.

#### Exposure controls

### Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Breathing equipment: Not required.

**Protection of hands:** Not required.

#### Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Eve protection:

Safety glasses

(Contd. on page 5)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

(Contd. of page 4)

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physic	al and c	hemical	properties

Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Fluid
Color: Colorless
Odor: Alcohol-like
Odor threshold: Not determined.

Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range: $78 \degree C (172.4 \degree F)$ Flash point: $17 \degree C (62.6 \degree F)$ 

Flammability (solid, gaseous): Highly flammable.

Auto igniting:400 °C (752 °F)Decomposition temperature:Not determined.

*Ignition temperature:* Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

Explosion limits:

 Lower:
 3.5 Vol %

 Upper:
 15 Vol %

 Vapor pressure at 20 °C (68 °F):
 59 hPa (44.3 mm Hg)

 Vapor pressure at 50 °C (122 °F):
 280 hPa (210 mm Hg)

**Density at 20 °C (68 °F):** 0.84771 g/cm³ (7.07414 lbs/gal)

Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

Solvent separation test

Organic solvents:99.8 %VOC content:86.82 %

Other informationNo further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 6)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

(Contd. of page 5)

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

Information on toxicological effects

Acute toxicity:

## LD/LC50 values that are relevant for classification:

#### 64-17-5 ethanol

 Oral
 LD50
 7,060 mg/kg (Rat)

 Inhalative
 LC50/4 h
 20,000 mg/l (Rat)

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: Irritating effect.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Irritant

#### Carcinogenic categories

IARC (Inte	ernational Agency for Research on Cancer)	
64-17-5	ethanol	1
7664-93-9	sulphuric acid	1
NTP (Natio	onal Toxicology Program)	
7664-93-9	sulphuric acid	K
OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	e ingredients are listed.	

## 12 Ecological information

**Toxicity** 

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects: Remark: Not available

Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment

**PBT:** Not applicable.

(Contd. on page 7)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

vPvB: Not applicable.

Other adverse effects No further relevant information available.

(Contd. of page 6)

## 13 Disposal considerations

#### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

UN-Number	
DOT, ADR, IMDG, IATA	UN1170

UN proper shipping name

**DOT** Ethanol solutions

ADR 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IMDG ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

IATA ETHANOL SOLUTION

## Transport hazard class(es)

DOT



Class 3 Flammable liquids

Label

**ADR** 



Class 3 (F1) Flammable liquids

Label 3

IMDG, IATA



Class 3 Flammable liquids

Label

(Contd. on page 8)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

	(Contd. of page
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
<i>IMDG</i>	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355	(extremely)	hazardous	substances).	:
-------------	-------------	-----------	--------------	---

None of the ingredients are listed.

## Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

## TSCA (Toxic Substances Control Act) Inventory:

64-17-5 ethanol

56-81-5 glycerol

## Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

## Chemicals known to cause cancer:

None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 9)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

(Contd. of page 8)

### Chemicals known to cause developmental toxicity:

64-17-5 ethanol

## New Jersey Right-to-Know List:

All ingredients are listed.

#### Pennsylvania Right-to-Know List:

All ingredients are listed.

### Cancerogenity categories

## EPA (Environmental Protection Agency)

None of the ingredients are listed.

## TLV (Threshold Limit Value)

 64-17-5
 ethanol
 A3

 7664-93-9
 sulphuric acid
 A2

## NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

### Signal word Danger

#### Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

#### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

*If eye irritation persists: Get medical advice/attention.* 

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph:(608)274-4330

chemicalregulatory@promega.com

(Contd. on page 10)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop and Glo® Substrate

(Contd. of page 9)

#### Contact:

#### Date of preparation / last revision 05/19/2023

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

TIC



Page 1/9

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2023 Reviewed on 05/19/2023

## 1 Identification

Product identifier

Trade name: Dual-Glo® Stop & Glo® Buffer

Article number: E314

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA

and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

## Classification of the substance or mixture



GHS08 Health hazard

H351 Suspected of causing cancer. Carcinogenicity 2

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

#### Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



#### Signal word Danger

## Hazard-determining components of labeling:

thiourea

methanol

#### Hazard statements

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

(Contd. on page 2)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

(Contd. of page 1)

Causes damage to the central nervous system and the visual organs.

#### Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Classification system:

## NFPA ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

## HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

## OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Reproductive Hazard Suspected Carcinogen

Target Organ(s): Not applicable or unknown

Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Mixtures

#### Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:		
125572-95-4	trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraacetic acid monohydrate	1-5%
67-56-1	methanol	1-5%
62-56-6	thiourea	<1%

Additional information: For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

### Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

(Contd. on page 3)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

(Contd. of page 2)

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove persons from danger area.

Wear protective clothing.

**Environmental precautions:** Dilute with plenty of water.

## Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

 ${\it Ensure \ adequate \ ventilation}.$ 

## Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

#### Precautions for safe handling

Keep receptacles tightly sealed.

*Ensure good ventilation/exhaustion at the workplace.* 

Open and handle receptacle with care.

Prevent formation of aerosols.

### Information about protection against explosions and fires:

Keep respiratory protective device available.

The product is not flammable.

### Conditions for safe storage, including any incompatibilities

Storage.

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

(Contd. of page 3)

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

#### Control parameters

### Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 67-56-1 methanol

PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm

Skin

TLV Short-term value: 250 ppm Long-term value: 200 ppm

Skin; BEI

## Ingredients with biological limit values:

#### 67-56-1 methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

#### Exposure controls

#### Personal protective equipment:

## General protective and hygienic measures:

Ensure that washing facilities are available at the work place.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat or drink while working.

## Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:** Not required.

## Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Eye protection:

Safety glasses

(Contd. on page 5)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

(Contd. of page 4)

Use equipment for eye protection tested and approved under government NIOSH standards.

General Information	Information on basic physical and chemical properties General Information		
Appearance:			
Form:	Fluid		
Color:	Colorless		
Odor:	Not determined		
Odor threshold:	Not determined.		
pH-value at 20 °C (68 °F):	5.5		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	100 °C (212 °F)		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature:	Not determined.		
Ignition temperature:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure:	Not determined.		
Density at 20 °C (68 °F):	1.0186 g/cm³ (8.50022 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Fully miscible.		

## 10 Stability and reactivity

Solvent separation test

Organic solvents:

**VOC** content:

Solids content:
Other information

Reactivity No further relevant information available.

Chemical stability

Dynamic: Kinematic:

Water:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

Not determined.

Not determined.

2.0 %

92.6 %

2.00 %

5.2 %

(Contd. on page 6)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

(Contd. of page 5)

**Possibility of hazardous reactions** No dangerous reactions known. **Conditions to avoid** No further relevant information available. **Incompatible materials:** No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

67-56-1 methanol

Oral LD50 5,628 mg/kg (Rat)

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: No data available.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

62-56-6 thiourea

3

NTP (National Toxicology Program)

62-56-6 thiourea

R

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

**Toxicity** 

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects: Remark: Not available

Additional ecological information: General notes: Not available.

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

(Contd. on page 7)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

Other adverse effects No further relevant information available.

(Contd. of page 6)

## 13 Disposal considerations

#### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

## Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport	t inf	format	tion
--------------	-------	--------	------

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable
Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA Class	Not applicable
Packing group DOT, ADR, IMDG, IATA	None Not applicable
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of  MARPOL73/78 and the IBC Code Not applicable.	
UN "Model Regulation":	Not applicable

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-56-1 methanol

62-56-6 thiourea

127087-87-0 Nonylphenol Ethoxylate

TSCA (Toxic Substances Control Act) Inventory:

67-56-1 methanol

(Contd. on page 8)

Printing date 05/19/2023 Reviewed on 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

(Contd. of page 7)

62-56-6 thiourea

Hazardous Air Pollutants

67-56-1 methanol

**Proposition 65** 

Chemicals known to cause cancer:

62-56-6 thiourea

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

67-56-1 methanol

New Jersey Right-to-Know List:

67-56-1 methanol

62-56-6 thiourea

Pennsylvania Right-to-Know List:

62-56-6 thiourea

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger

Hazard-determining components of labeling:

thiourea

methanol

Hazard statements

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

Causes damage to the central nervous system and the visual organs.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Additional classification according to Decree on Hazardous Materials: Can cause cancer.

Water hazard class: Generally not hazardous for water.

(Contd. on page 9)

Reviewed on 05/19/2023 Printing date 05/19/2023

Trade name: Dual-Glo® Stop & Glo® Buffer

(Contd. of page 8)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph:(608)274-4330

chemicalregulatory@promega.com

#### Date of preparation / last revision 05/19/2023

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: Internation Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Carcinogenicity 2: Carcinogenicity - Category 2

Toxic to Reproduction 2: Reproductive toxicity – Category 2

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1