| 11/23/2022 | Kit Components | |
|--------------|---------------------|--|
| Product code | Description | |
| G8251 | HaloTag® TMR Ligand | |
| Components: | | |
| G825 | HaloTag® TMR Ligand | |



Printing date 11/23/2022

Reviewed on 06/02/2022

Page 1/9

1 Identification

Product identifier Trade name: <u>HaloTag® TMR Ligand</u> Article number: G825 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Flammable Liquids 4 H227 Combustible liquid.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Warning

Hazard-determining components of labeling: dimethyl sulfoxide Hazard statements Combustible liquid. Harmful in contact with skin. Precautionary statements Keep away from flames and hot surfaces. – No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

| | (Contd. of page 1) |
|--|--------------------|
| If on skin: Wash with plenty of water. | |
| Call a poison center/doctor if you feel unwell. | |
| Take off contaminated clothing and wash it before reuse. | |
| In case of fire: Use CO2, powder or water spray to extinguish. | |
| Store in a well-ventilated place. Keep cool. | |
| Dispose of contents/container in accordance with local/regional/national/international regulations | |
| Classification system: | |
| NFPÅ ratings (scale 0 - 4) | |
| Health = 1 | |
| Fire = 2 | |
| Reactivity = 0 | |
| HMIS-ratings (scale 0 - 4) | |
| Health = 1 | |
| Fire = 2 | |
| Reactivity = 0 | |
| OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Combustible | |
| Primary route(s) of entry: Oral | |
| Target Organ(s): | |
| Dermal hazard (Cutaneous hazard) | |
| Risk of damage to eyes | |
| Other hazards | |
| Results of PBT and vPvB assessment | |
| PBT: Not applicable. | |
| vPvB: Not applicable. | |

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

67-68-5 dimethyl sulfoxide

75-100%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Immediately call a doctor.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

(Contd. on page 3)

US

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available.

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. **Information about protection against explosions and fires:** No special measures required.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

(Contd. on page 4)

(Contd. of page 2)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

| | (Contd. of page 3) |
|---|---|
| <i>Additional information:</i> The lists that were valid during the creation were used as basis. | |
| Exposure controls | |
| Personal protective equipment: | |
| General protective and hygienic measures: | |
| Keep away from foodstuffs, beverages and feed. | |
| Immediately remove all soiled and contaminated clothing. | |
| Wash hands before breaks and at the end of work. | |
| Do not eat or drink while working. | |
| Breathing equipment: | |
| In case of brief exposure or low pollution use respiratory filter device. In case of intensive or lo respiratory protective device that is independent of circulating air. | onger exposure use |
| Protection of hands: Not required. | |
| Material of gloves | |
| Gloves impermeable to the specific chemical substance. | |
| Please observe the instructions regarding permeability and breakthrough time which ar manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, be chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization specific local conditions under which the product is used such as the danger of cuts and abrasis with care to avoid skin contamination. | ut is not limited to, on effects. Consider |
| The selection of the suitable gloves does not only depend on the material, but also on further m varies from manufacturer to manufacturer. As the product is a preparation of several substant of the glove material can not be calculated in advance and has therefore to be checked prior to Eva protection: | ices, the resistance |

Eye protection: Safety glasses

*

Use equipment for eye protection tested and approved under government NIOSH standards.

| Appearance: | | |
|-----------------------------------|---|--|
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | 18.45 °C (65.2 °F) | |
| Boiling point/Boiling range: | 189 °C (372.2 °F) | |
| Flash point: | 87 °C (188.6 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 270 °C (518 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | 1.8 Vol % | |
| Upper: | Zers Vol % | |
| Vapor pressure at 20 °C (68 °F): | 2.5 hPa (1.9 mm Hg) | |
| Density at 20 °C (68 °F): | 1.1 g/cm³ (9.1795 lbs/gal) | |

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

| | | (Contd. of page |
|----------------------------------|--|-----------------|
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octano | <i>l/water</i>): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent separation test | | |
| Organic solvents: | 99.7 % | |
| VOC content: | 99.68 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Strong acids Strong reducing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

| LD/LC50 values that are relevant for classification: | LD/LC50 | values | that a | ire rel | evant fo | r classij | fication: |
|--|---------|--------|--------|---------|----------|-----------|-----------|
|--|---------|--------|--------|---------|----------|-----------|-----------|

| Oral | LD50 | 14,500 mg/kg (Rat) |
|--------------------|-------|---------------------|
| Dermal | LD50 | 1,800 mg/kg (Mouse) |
| Irritation of eyes | acute | 500 mg (Rabbit) |
| | | mild irritation |

 Primary irritant effect:

 on the skin: Causes skin irritation.

 on the eye: No data available.

 Sensitization:

 In case of skin contact: not sensitising

 In case of inhalation: not sensitising

 Additional toxicological information:

 The product shows the following dangers according to internally approved calculation methods for preparations:

 OECD test guideline 471, Ames test.

 Harmful

(Contd. on page 6)

US

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

(Contd. of page 5)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program) None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| DOT, ADR, ADN, IMDG, IATA | Not hazardous for transportation Not applicable | |
|---------------------------|--|--|
| UN proper shipping name | None | |
| DOT, ADR, ADN, IMDG, IATA | Not applicable | |

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

| | | (Contd. of page |
|--------------------------------------|-----------------|-----------------|
| DOT, ADR, ADN, IMDG, IATA | | |
| Class | Not applicable | |
| Packing group | None | |
| DOT, ADR, IMDG, IATA | Not applicable | |
| Environmental hazards: | | |
| Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex | II of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| UN "Model Regulation": | Not applicable | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

| Section 355 (extremely hazardous substances): |
|---|
| None of the ingredients are listed. |
| Section 313 (Specific toxic chemical listings): |
| None of the ingredients are listed. |
| TSCA (Toxic Substances Control Act) Inventory: |
| 67-68-5 dimethyl sulfoxide |
| Hazardous Air Pollutants |
| None of the ingredients are listed. |
| Proposition 65 |
| Chemicals known to cause cancer: |
| None of the ingredients are listed. |
| Chemicals known to cause reproductive toxicity for females: |
| None of the ingredients are listed. |
| Chemicals known to cause reproductive toxicity for males: |
| None of the ingredients are listed. |
| Chemicals known to cause developmental toxicity: |
| None of the ingredients are listed. |
| New Jersey Right-to-Know List: |
| 67-68-5 dimethyl sulfoxide |
| Pennsylvania Right-to-Know List: |
| None of the ingredients are listed. |
| Cancerogenity categories |
| EPA (Environmental Protection Agency) |
| None of the ingredients are listed. |
| TLV (Threshold Limit Value) |
| None of the ingredients are listed. |
| |

(Contd. on page 8)

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

| (Contd. of page |
|--|
| OSH-Ca (National Institute for Occupational Safety and Health) |
| ne of the ingredients are listed. |
| S label elements The product is classified and labeled according to the Globally Harmonized System (GHS). <i>nal word</i> Warning |
| z ard-determining components of labeling: nethyl sulfoxide |
| zard statements |
| nbustible liquid. |
| rmful in contact with skin. |
| cautionary statements |
| ep away from flames and hot surfaces. – No smoking. |
| ar protective gloves/protective clothing/eye protection/face protection. |
| n skin: Wash with plenty of water. |
| ll a poison center/doctor if you feel unwell. |
| te off contaminated clothing and wash it before reuse. |
| case of fire: Use CO2, powder or water spray to extinguish. |
| re in a well-ventilated place. Keep cool. |
| pose of contents/container in accordance with local/regional/national/international regulations. |
| emical safety assessment |
| |

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com Contact: **Date of preparation / last revision** 11/23/2022 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

(Contd. on page 9)

⁻ U

Printing date 11/23/2022

Reviewed on 06/02/2022

Trade name: HaloTag® TMR Ligand

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Dermal 4: Acute toxicity – Category 4 (Contd. of page 8)