01/29/2023	Kit Components	
Product code	Description	
G8281	HaloTag® Biotin Ligand	
Components:		
G828	HaloTag® Biotin Ligand 5mM, 30ul	





Printing date 01/29/2023 Reviewed on 06/02/2022

### 1 Identification

Product identifier

Trade name: HaloTag® Biotin Ligand

Article number: G828

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA

and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

Classification of the substance or mixture



GHS07

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Flammable Liquids 4 H227 Combustible liquid.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Warning

Hazard-determining components of labeling:

dimethyl sulfoxide

Hazard statements

Combustible liquid.

Harmful in contact with skin.

Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 1)

If on skin: Wash with plenty of water.

Call a poison center/doctor if you feel unwell.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Classification system:

NFPA ratings (scale 0 - 4)

Health = 1

Fire = 2

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 2

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Combustible

Primary route(s) of entry: Oral

Target Organ(s):

Dermal hazard (Cutaneous hazard)

Risk of damage to eyes

Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

#### Dangerous components:

67-68-5 dimethyl sulfoxide

75-100%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### 4 First-aid measures

#### Description of first aid measures

#### General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Immediately call a doctor.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

(Contd. on page 3)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 2)

## Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

None known

No further relevant information available. Advice for firefighters No special advice

### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

#### **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

#### Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

#### Control parameters

Components with limit values that require monitoring at the workplace:

#### 67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

(Contd. on page 4)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 3)

Additional information: The lists that were valid during the creation were used as basis.

#### Exposure controls

Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:** Not required.

#### Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

	• 1	, ,		
UPA	10100	and	homical	nvonovtios
	Butul	unu c	петиси	properties

Information on basic physical and ca General Information	Fluid Colorless Not determined Not determined.  ting range: 18.45 °C (65.2 °F) ing range: 189 °C (372.2 °F) 87 °C (188.6 °F)  gaseous): Not applicable. e: 270 °C (518 °F) nerature: Not determined.  Product is not selfigniting.
Appearance:	EL.: 1
Form: Color:	- ,,,,,
Cotor: Odor:	
Odor threshold:	
Change in condition	
Melting point/Melting range:	18.45 °C (65.2 °F)
Boiling point/Boiling range:	189 °C (372.2 °F)
Flash point:	87 °C (188.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	270 °C (518 °F)
Decomposition temperature:	,
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	-
Lower:	1.8 Vol %
Upper:	Zers Vol %
Vapor pressure at 20 °C (68 °F):	2.5 hPa (1.9 mm Hg)
Density at 20 °C (68 °F):	1.1 g/cm³ (9.1795 lbs/gal)

(Contd. on page 5)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 4)

Relative density
Not determined.
Not determined.
Evaporation rate
Solubility in / Miscibility with
Water:
Not determined.
Not determined.
Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic at 20 °C (68 °F): 198 mPas
Kinematic: Not determined.

Solvent separation test

Organic solvents: 100.0 % VOC content: 100.00 %

*Other information* No further relevant information available.

## 10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Strong acids

Strong reducing agents

Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

Information on toxicological effects

Acute toxicity:

#### LD/LC50 values that are relevant for classification:

#### 67-68-5 dimethyl sulfoxide

Oral	<i>LD50</i>	14,500 mg/kg (Rat)
Dermal	LD50	14,500 mg/kg (Rat) 1,800 mg/kg (Mouse)
Irritation of eyes	acute	500 mg (Rabbit)
		mild irritation

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: No data available.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Harmful

(Contd. on page 6)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 5)

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

**Toxicity** 

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects: Remark: Not available

Additional ecological information: General notes: No data available.

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

### 13 Disposal considerations

#### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	Not hazardous for transportation	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name	None	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)	None	

(Contd. on page 7)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 6)

DOT, ADR, ADN, IMDG, IATA Class	N-4!:!.	
Class	Not applicable	
Packing group	None	
DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	: II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not applicable	

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

67-68-5 dimethyl sulfoxide

Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

67-68-5 dimethyl sulfoxide

Pennsylvania Right-to-Know List:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

(Contd. on page 8)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 7)

#### NIOSH-Ca (National Institute for Occupational Safety and Health)

*None of the ingredients are listed.* 

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Signal word Warning

#### Hazard-determining components of labeling:

dimethyl sulfoxide

#### Hazard statements

Combustible liquid.

Harmful in contact with skin.

## Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

Call a poison center/doctor if you feel unwell.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph:(608)274-4330

chemicalregulatory@promega.com

#### Contact:

#### Date of preparation / last revision 01/29/2023

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: Internation Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 9)

Printing date 01/29/2023 Reviewed on 06/02/2022

Trade name: HaloTag® Biotin Ligand

(Contd. of page 8)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

REL: Recommended Exposure Limit
Flammable Liquids 4: Flammable liquids – Category 4
Acute Toxicity - Dermal 4: Acute toxicity – Category 4