04/06/2023	Kit Components	
Product code	Description	
V3941	X-Gal	
Components:		
V394	X-Gal	



#### Printing date 04/06/2023

Reviewed on 04/06/2023

### 1 Identification

**Product identifier** Trade name: X-Gal Article number: V394 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A.1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

#### Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 *Outside USA and Canada: +1 703-527-3887 (collect calls accepted)* 

### 2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.

GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer. Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

1 IS

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: X-Gal

	(Contd. of page 1)
Hazard pictograms	
$\land \land \land$	
$\langle \langle \rangle \rangle \langle \rangle \langle \rangle \rangle$	
GHS02 GHS07 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
N,N-dimethylformamide	
Hazard statements	
Flammable liquid and vapor.	
Causes serious eye irritation.	
May cause cancer.	
May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools. Taka processionary magazing against static discharge	
Take precautionary measures against static discharge. Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho	wer
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-	
Continue rinsing.	sent and easy to do.
IF exposed or concerned: Get medical advice/attention.	
<i>If eye irritation persists: Get medical advice/attention.</i>	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	ations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
Reactivity = 1	
HMIS-ratings (scale 0 - 4)	
Health = *2	
Fire = 3	
Reactivity = $l$ OSHA Hazard Quamian (Critaria according to 20CEP 1010 1200);	
OSHA Hazard Overview (Criteria according to 29CFR1910.1200):	
Irritant Combustible	
Reproductive Hazard	
Primary route(s) of entry:	
Dermal	
Inhalation	
Targel Organisi:	
<b>Target Organ(s):</b> May cause Liver damage (Hepatotoxin)	
May cause Liver damage (Hepatotoxin) May affect Reproductive System (Mutagen, Teratogen)	

Printing date 04/06/2023

Reviewed on 04/06/2023

### Trade name: X-Gal

(Contd. of page 2)

May cause Kidney damage (Nephrotoxin) Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Mixtures Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

68-12-2 N,N-dimethylformamide

75-100%

Additional information: For the wording of the listed risk phrases refer to section 15.

### 4 First-aid measures

### Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

*In case of unconsciousness place patient stably in side position for transportation. Seek medical treatment in case of complaints.* 

After skin contact: Immediately wash with water and soap and rinse thoroughly.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

*Most important symptoms and effects, both acute and delayed None* 

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

Extinguishing media
Suitable extinguishing agents: Use fire fighting measures that suit the environment.
Special hazards arising from the substance or mixture
None known
No further relevant information available.
Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.
Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

US

Printing date 04/06/2023

Reviewed on 04/06/2023

#### Trade name: X-Gal

(Contd. of page 3)

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

### 7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

\*

### 8 Exposure controls/personal protection

#### **Control parameters**

*Components with limit values that require monitoring at the workplace:* 

#### 68-12-2 N,N-dimethylformamide

- PEL Long-term value: 30 mg/m<sup>3</sup>, 10 ppm Skin
- REL Long-term value: 30 mg/m<sup>3</sup>, 10 ppm Skin
- TLV Long-term value: 5 ppm Skin; BEI, A3

(Contd. on page 5)

(Contd. of page 4)

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/06/2023

68-12-2 N,N-dimethylformamide

Medium: urine Time: end of shift

Methylformamide

Personal protective equipment:

Store protective clothing separately.

Do not eat or drink while working.

**Protection of hands:** Not required.

Avoid contact with the eyes.

30 mg/L Medium: urine

**Exposure** controls

Reviewed on 04/06/2023

Trade name: X-Gal

BEI 30 mg/L

Ingredients with biological limit values: Parameter: Total N-Methylformamide (sum of N-Methylformamide and N-(Hydroxymethyl)-N-Time: end of shift at end of workweek Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine Additional information: The lists that were valid during the creation were used as basis. General protective and hygienic measures: Ensure that washing facilities are available at the work place. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin. Pregnant women should strictly avoid inhalation or skin contact. Clean skin thoroughly immediately after handling the product. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

### Material of gloves

**Breathing equipment:** 

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. *Eve protection:* 

Safety glasses

Use equipment for eve protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

Information on basic ph General Information	ysical and chemical properties	
Appearance:		
Form:	Fluid	
Color:	Colorless	

(Contd. on page 6)

US

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: X-Gal

	(Contd. of page 5
Odor:	Not determined
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	7
Change in condition	
	-61 °C (-77.8 °F)
Boiling point/Boiling range:	153 °C (307.4 °F)
Flash point:	58 °C (136.4 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	445 °C (833 °F)
<b>Decomposition temperature:</b>	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
	Product is not explosive. However, formation of explosive air/vapo
	mixtures are possible.
Explosion limits:	
Lower:	2.2 Vol %
Upper:	15.2 Vol %
Vapor pressure at 20 °C (68 °F):	4.9 hPa (3.7 mm Hg)
Density at 20 °C (68 °F):	0.96 g/cm <sup>3</sup> (8.0112 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
	Not determined.
Kinematic:	Not determined.
Solvent separation test	
	95.0 %
VÕC content:	0.00 %
Solids content:	5.0 %
Other information	No further relevant information available.

# 10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: X-Gal

(Contd. of page 6)

LD/LC50 values that are relevant for classification:68-12-2 N,N-dimethylformamideOralLD507,600 mg/kg (Rat)DermalLD505,000 mg/kg (Rabbit)InhalativeLC50/4 h9,400 mg/l (Mouse)Primary irritant effect:on the skin: Causes skin irritation.on the skin: Causes skin irritation.on the skin: couses skin irritation.on the eye: Irritating effect.Sensitization:In case of skin contact: not sensitisingIn case of skin contact: not sensitisingAdditional toxicological information:The product shows the following dangers according to internally approved calculation methods for preparationOECD test guideline 471, Ames test.HarmfulIrritantIrritation Agency for Research on Cancer)68-12-2N.N-dimethylformamideQNTP (National Toxicology Program)None of the ingredients are listed.	Acute toxic	•	
Oral       LD50       7,600 mg/kg (Rat)         Dermal       LD50       5,000 mg/kg (Rabbit)         Inhalative       LC50/4 h       9,400 mg/l (Mouse)         Primary irritant effect:       on the skin: Causes skin irritation.         on the skin:       Causes skin irritation.         on the eye:       Irritating effect.         Sensitization:       In case of skin contact: not sensitising         In case of skin contact: not sensitising       In case of inhalation: not sensitising         Additional toxicological information:       The product shows the following dangers according to internally approved calculation methods for preparation.         OECD test guideline 471, Ames test.       Harmful         Irritant       Frintational degrees for Research on Cancer)         68-12-2       N,N-dimethylformamide       2         NTP (National Toxicology Program)       2			
Dermal       LD50       5,000 mg/kg (Rabbit)         Inhalative       LC50/4 h       9,400 mg/l (Mouse)         Primary irritant effect:       on the skin: Causes skin irritation.         on the skin:       Causes skin irritation.         on the eye:       Irritating effect.         Sensitization:       Incase of skin contact: not sensitising         In case of skin contact: not sensitising       Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparation         OECD test guideline 471, Ames test.         Harmful         Irritant         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide         ATP (National Toxicology Program)		-	
Inhalative       LC50/4 h       9,400 mg/l (Mouse)         Primary irritant effect:       on the skin: Causes skin irritation.         on the skin: Causes skin irritation.       on the eye: Irritating effect.         Sensitization:       In case of skin contact: not sensitising         In case of skin contact: not sensitising         In case of inhalation: not sensitising         Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparation         OECD test guideline 471, Ames test.         Harmful         Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide         NTP (National Toxicology Program)	Oral	LD50	7,600 mg/kg (Rat)
Primary irritant effect:         on the skin: Causes skin irritation.         on the eye: Irritating effect.         Sensitization:         In case of skin contact: not sensitising         In case of inhalation: not sensitising         Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparation         OECD test guideline 471, Ames test.         Harmful         Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide         2         NTP (National Toxicology Program)	Dermal	LD50	5,000 mg/kg (Rabbit)
on the skin: Causes skin irritation. on the eye: Irritating effect. Sensitization: In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparation OECD test guideline 471, Ames test. Harmful Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) 68-12-2 N,N-dimethylformamide 2 NTP (National Toxicology Program)	Inhalative	LC50/4 h	9,400 mg/l (Mouse)
on the eye: Irritating effect.         Sensitization:         In case of skin contact: not sensitising         In case of inhalation: not sensitising         Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparation         OECD test guideline 471, Ames test.         Harmful         Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide       2         NTP (National Toxicology Program)       2			
Sensitization:       In case of skin contact: not sensitising         In case of inhalation: not sensitising       Additional toxicological information:         Additional toxicological information:       The product shows the following dangers according to internally approved calculation methods for preparation         OECD test guideline 471, Ames test.       Harmful         Irritant       Irritant         Carcinogenic categories       IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide       2         NTP (National Toxicology Program)       2			
In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparation OECD test guideline 471, Ames test. Harmful Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) 68-12-2 N,N-dimethylformamide 2 NTP (National Toxicology Program)			effect.
In case of inhalation: not sensitising Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparation OECD test guideline 471, Ames test. Harmful Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) 68-12-2 N,N-dimethylformamide 2 NTP (National Toxicology Program)	-		
Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparation         OECD test guideline 471, Ames test.         Harmful         Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide         2         NTP (National Toxicology Program)			
The product shows the following dangers according to internally approved calculation methods for preparation         OECD test guideline 471, Ames test.         Harmful         Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide         2         NTP (National Toxicology Program)			
OECD test guideline 471, Ames test.         Harmful         Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide       2         NTP (National Toxicology Program)			
Harmful Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide       2         NTP (National Toxicology Program)			
Irritant         Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2       N,N-dimethylformamide       2         NTP (National Toxicology Program)		guideline	471, Ames test.
Carcinogenic categories         IARC (International Agency for Research on Cancer)         68-12-2 N,N-dimethylformamide       2         NTP (National Toxicology Program)	v		
IARC (International Agency for Research on Cancer)       68-12-2       N.N-dimethylformamide       2         NTP (National Toxicology Program)       2	Irritant		
68-12-2       N,N-dimethylformamide       2         NTP (National Toxicology Program)       2	Carcinoge	nic catego	ries
NTP (National Toxicology Program)	IARC (Inte	ernational	Agency for Research on Cancer)
	68-12-2 N	N-dimethy	vlformamide 2.
None of the ingredients are listed.	NTP (Nati	onal Toxio	cology Program)
	None of the	e ingredier	nts are listed.

# **12 Ecological information**

**Toxicity** 

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

(Contd. on page 8)

US

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: X-Gal

(Contd. of page 7)

# **13 Disposal considerations**

### Waste treatment methods

### **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN2265	
UN proper shipping name DOT ADR IMDG, IATA	N,N-Dimethylformamide 2265 N,N-DIMETHYLFORMAMIDE N,N-DIMETHYLFORMAMIDE	
Transport hazard class(es)		
DOT		
Class	3 Flammable liquids	
Label	3	
Class	3 (F1) Flammable liquids	
Label	3	
IMDG, IATA		
Class	3 Flammable liquids	
Label	3	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards: Marine pollutant:	No	

Printing date 04/06/2023

Reviewed on 04/06/2023

#### Trade name: X-Gal

	(Contd. of pag
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler co	de): 30
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III

## **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

68-12-2 N,N-dimethylformamide

TSCA (Toxic Substances Control Act) Inventory:

68-12-2 N,N-dimethylformamide

#### Hazardous Air Pollutants

68-12-2 N,N-dimethylformamide

### **Proposition 65**

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

68-12-2 N,N-dimethylformamide

### Pennsylvania Right-to-Know List:

68-12-2 N,N-dimethylformamide

(Contd. on page 10)

<sup>-</sup> US

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: X-Gal

	(Contd. of pag	ge 9)
Canceroge	nity categories	
EPA (Envi	ironmental Protection Agency)	
None of the	e ingredients are listed.	
TLV (Thre.	rshold Limit Value)	
68-12-2 N,	N-dimethylformamide	A4
NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
None of the	e ingredients are listed.	
GHS label Signal wor	<b>elements</b> The product is classified and labeled according to the Globally Harmonized System (GHS a Danger	<u>)</u> .
	<b>termining components of labeling:</b> hylformamide	
Hazard sta		
	e liquid and vapor.	
	ious eye irritation.	
May cause		
	ge fertility or the unborn child.	
	nary statements	
	cial instructions before use.	
	dle until all safety precautions have been read and understood.	
	from heat/sparks/open flames/hot surfaces No smoking.	
	iner tightly closed.	
	nd container and receiving equipment.	
	ion-proof electrical/ventilating/lighting/equipment.	
	on-sparking tools.	
	nutionary measures against static discharge.	
	pughly after handling.	
	ective gloves/protective clothing/eye protection/face protection.	
	or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	1
	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to	<i>d0</i> .
Continue ri		
	or concerned: Get medical advice/attention. ntion persists: Get medical advice/attention.	
	fire: Use CO2, powder or water spray to extinguish. well-ventilated place. Keep cool.	
Store locke		
	contents/container in accordance with local/regional/national/international regulations.	
	safety assessment	
Water haza	ard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.	
	safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

\*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com

(Contd. on page 11)

Printing date 04/06/2023

## Reviewed on 04/06/2023

## Trade name: X-Gal

(Contd. of page 10)
Contact:
Date of preparation / last revision 04/06/2023
Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)
ICAO: Internation Civil Aviation Organization
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flammable Liquids 3: Flammable liquids – Category 3
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Carcinogenicity 1B: Carcinogenicity – Category 1B
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B