04/06/2023	Kit Components	
Product code	Description	
E2691	FuGENE® 6 Transfection Reagent	
Components:		
E269	FuGENE® 6 Transfection Reagent	



Printing date 04/06/2023

Reviewed on 04/06/2023

Page 1/9

1 Identification

Product identifier Trade name: <u>FuGENE® 6 Transfection Reagent</u> Article number: E269 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



Flammable Liquids 3 H226 Flammable liquid and vapor.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Warning Hazard statements Flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

[–] ÚS

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: FuGENE® 6 Transfection Reagent

	(Contd. of page 1)
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 3	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
Reactivity = 0	
OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable	
Target Organ(s):	
May cause Liver damage (Hepatotoxin)	
May affect Nervous system (Neurotoxin)	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
••	

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-17-5 ethanol

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed Headache Dizziness Nausea Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

75-100%

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: FuGENE® 6 Transfection Reagent

(Contd. of page 2)

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
Keep away from ignition sources
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Paguiraments to be met by storageous and recontractes: Do not

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

(Contd. on page 4)

US

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: FuGENE® 6 Transfection Reagent

(Contd. of page 3) *REL* Long-term value: 1900 mg/m³, 1000 ppm *TLV* Short-term value: 1000 ppm AЗ Additional information: The lists that were valid during the creation were used as basis. **Exposure** controls Personal protective equipment: General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. **Breathing equipment:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Not required. Material of gloves Gloves impermeable to the specific chemical substance. Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eve protection:** Use equipment for eve protection tested and approved under government NIOSH standards.

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Sweetish
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	-114 °C (-173.2 °F)
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	≤23 °C (≤73.4 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
6 <i>7</i> 1	Product is not explosive. However, formation of explosive air/vapo
	mixtures are possible.
Explosion limits:	-
Lower:	3.5 Vol %
Upper:	15 Vol %

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: FuGENE® 6 Transfection Reagent

		(Contd. of page
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)	
Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)	
Density at 20 °C (68 °F):	0.8 g/cm ³ (6.676 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:	, ,	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Organic solvents:	80.0 %	
Water:	19.9 %	
VOC content:	80.00 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: Causes skin irritation. on the eye: No data available. Sensitization: In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

64-17-5 ethanol

NTP (National Toxicology Program)

None of the ingredients are listed.

(Contd. on page 6)

1

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: FuGENE® 6 Transfection Reagent

(Contd. of page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol solutions
ADR	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA	ETHANOL SOLUTION

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: FuGENE® 6 Transfection Reagent

	(Contd. of pa
Transport hazard class(es)	
DOT	
3	
Class	3 Flammable liquids
Label	3
ADR	
3	
Class	2 (E1) Elammable liquida
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code). EMS Number:	: 30 F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
	(Contd. on pa

Printing date 04/06/2023

Reviewed on 04/06/2023

(Contd. of page 7)

Trade name: FuGENE® 6 Transfection Reagent

UN "Model Regulation":

UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

64-17-5 ethanol

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

New Jersey Right-to-Know List:

64-17-5 ethanol

Pennsylvania Right-to-Know List:

64-17-5 ethanol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

64-17-5 ethanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Signal word Warning Hazard statements Flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

AЗ

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: FuGENE® 6 Transfection Reagent

(Contd. of page 8)

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 chemicalregulatory@promega.com

Contact:

Date of preparation / last revision 04/06/2023

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3