

08/24/2022

Kit Components

Product code	Description
V2791	Guanidine Thiocyanate

Components:

V279	Guanidine Thiocyanate (Guanidinium Thiocyanate)
------	---

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

1 Identification

Product identifier

Trade name: Guanidine Thiocyanate

Article number: V279

CAS Number:

593-84-0

EC number:

209-812-1

Index number:

615-004-00-3

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1B

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4

H332 Harmful if inhaled.

Label elements

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 1)

Hazard pictograms

GHS05 GHS07

Signal word *Danger***Hazard-determining components of labeling:**

guanidinium thiocyanate

Hazard statements*Harmful if swallowed or if inhaled.**Causes severe skin burns and eye damage.***Precautionary statements***Do not breathe dusts or mists.**Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**If swallowed: Rinse mouth. Do NOT induce vomiting.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Immediately call a poison center/doctor.**Wash contaminated clothing before reuse.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 2

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Corrosive

Environmental Hazard

Primary route(s) of entry:

Dermal

Inhalation

Oral

Target Organ(s):

May affect Nervous system (Neurotoxin)

May cause Kidney damage (Nephrotoxin)

Risk of damage to eyes

Affects Gastrointestinal System

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: **Guanidine Thiocyanate**

vPvB: Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

Chemical characterization: Substances**CAS No. Description**

593-84-0 guanidinium thiocyanate

EC number: 209-812-1**Index number:** 615-004-00-3

4 First-aid measures

Description of first aid measures**General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Seek medical treatment.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Call a doctor immediately.**After swallowing:**

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Seek immediate medical advice.

Information for doctor:**Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media**Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.**Protective equipment:** Mouth respiratory protective device.
 US
 (Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 3)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Keep people at a distance and stay upwind.

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to Section 13.

Pick up mechanically.

Ensure adequate ventilation.

Keep away from water.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires: The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Do not store together with acids.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 4)

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

Eye protection:

Tightly sealed goggles

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Crystalline
Color:	White
Odor:	Mild
Odor threshold:	Not determined.

pH-value:	Not applicable.
------------------	-----------------

Change in condition

Melting point/Melting range:	115-118 °C (239-244.4 °F)
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.

Flammability (solid, gaseous):	Product is not flammable.
Decomposition temperature:	Not determined.

Auto igniting:	Not determined.
-----------------------	-----------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.

Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	1350 g/l
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 5)

Kinematic:	Not applicable.
VOC content:	0.00 %
Solids content:	99.0 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials:

Exposure to strong acid will result in the generation of toxic gases

Exposure to bleach may result in the generation of toxic gas

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

593-84-0 guanidinium thiocyanate

Oral	LD50	475 mg/kg (Rat) By analogy to guanidine hydrochloride
Dermal	LD50	>2,000 mg/kg (Rabbit) By analogy to Guanidine hydrochloride.

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye: Strong caustic effect.

Sensitization: Sensitization possible through inhalation.

Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 6)

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.**Ecotoxicological effects:****Remark:** Harmful to fish**Additional ecological information:****General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

*

13 Disposal considerations**Waste treatment methods****Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

*

14 Transport information**UN-Number****DOT, ADR, IMDG, IATA**

UN1759

UN proper shipping name

None

DOT

Corrosive solids, n.o.s. (guanidinium thiocyanate)

ADR

1759 CORROSIVE SOLID, N.O.S. (guanidinium thiocyanate)

IMDG, IATA

CORROSIVE SOLID, N.O.S. (guanidinium thiocyanate)

Transport hazard class(es)

None

DOT**Class**

8 Corrosive substances

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 7)

Label 8

ADR, IMDG, IATA



Class 8 Corrosive substances

Label 8

Packing group None
DOT, ADR, IMDG, IATA III

Environmental hazards:
Marine pollutant: No

Special precautions for user Warning: Corrosive substances
EMS Number: F-A,S-B
Stowage Category A

Transport in bulk according to Annex II of
MARPOL 73/78 and the IBC Code Not applicable.

Transport/Additional information:

ADR
Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g

IMDG
Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation": UN 1759 CORROSIVE SOLID, N.O.S. (GUANIDINIUM THIOCYANATE), 8, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act) Inventory:

Substance is listed.

Hazardous Air Pollutants

Substance is not listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 8)

Proposition 65**Chemicals known to cause cancer:**

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

New Jersey Right-to-Know List:

Substance is not listed.

Pennsylvania Right-to-Know List:

Substance is not listed.

Carcinogenicity categories**EPA (Environmental Protection Agency)**

Substance is not listed.

TLV (Threshold Limit Value)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Danger**Hazard-determining components of labeling:**

guanidinium thiocyanate

Hazard statements

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations: No information available**Water hazard class:** Water hazard class 1 (Assessment by list): slightly hazardous for water.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

Trade name: Guanidine Thiocyanate

(Contd. of page 9)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

**This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

Department issuing SDS:

Promega Corporation
Chemical Regulatory Department
2800 Woods Hollow Road
Madison, WI
Ph: (608) 274-4330
chemicalregulatory@promega.com

Contact:

Date of preparation / last revision 08/24/2022

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation – Category 1