04/06/2023	Kit Components
Product code	Description
S3771	BCIP NBT Color Development Substrate
Components:	
S381	BCIP
S380	Nitro-Blue Tetrazolium (NBT)





Printing date 04/06/2023 Reviewed on 04/06/2023

1 Identification

Product identifier Trade name: BCIP Article number: S381

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA

and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



Eye Irritation 2A H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

Hazard pictograms









GHS02

GHS07 GF

Signal word Danger

Hazard-determining components of labeling:

N,N-dimethylformamide

Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

 $Use\ explosion-proof\ electrical/ventilating/lighting/equipment.$

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

Health = 2

Fire = 3

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = *2

Fire = 3

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Irritant

Combustible

Reproductive Hazard

Primary route(s) of entry:

Dermal

Inhalation

Target Organ(s):

May cause Liver damage (Hepatotoxin)

May affect Reproductive System (Mutagen, Teratogen)

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

May cause Kidney damage (Nephrotoxin)

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:	
68-12-2 N,N-dimethylformamide	75-100%
6578-06-9 5-Bromo-4-chloro-3-indolyl phosphate p-toluid	ne salt 1-5%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

Protective equipment: Mouth respiratory protective device.

US

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

(Contd. of page 3)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

68-12-2 N,N-dimethylformamide

PEL Long-term value: 30 mg/m³, 10 ppm

Skin

REL Long-term value: 30 mg/m³, 10 ppm

Skin

TLV Long-term value: 5 ppm

Skin; BEI, A3

(Contd. on page 5)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

(Contd. of page 4)

Ingredients with biological limit values:

68-12-2 N,N-dimethylformamide

BEI 30 mg/L

Medium: urine Time: end of shift

Parameter: Total N-Methylformamide (sum of N-Methylformamide and N-(Hydroxymethyl)-N-

Methylformamide

30 mg/L Medium: urine

Time: end of shift at end of workweek

Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Ensure that washing facilities are available at the work place.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands: Not required.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid
Color: Colorless

(Contd. on page 6)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

	(Contd. of page
Odor:	Not determined
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	-61 °C (-77.8 °F)
Boiling point/Boiling range:	153 °C (307.4 °F)
Flash point:	58 °C (136.4 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	445 °C (833 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
	Product is not explosive. However, formation of explosive air/vapa
	mixtures are possible.
Explosion limits:	
Lower:	2.2 Vol %
Upper:	15.2 Vol %
Vapor pressure at 20 °C (68 °F):	4.9 hPa (3.7 mm Hg)
Density at 20 °C (68 °F):	0.945 g/cm³ (7.88603 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent separation test	
Organic solvents:	95.0 %
VOC content:	0.00 %
Solids content:	5.0 %
Other information	No further relevant information available.
	-

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

HS

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

(Contd. of page 6)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

68-12-2 N,N-dimethylformamide

 Oral
 LD50
 7,600 mg/kg (Rat)

 Dermal
 LD50
 5,000 mg/kg (Rabbit)

 Inhalative
 LC50/4 h
 9,400 mg/l (Mouse)

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: Irritating effect.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Harmful Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

68-12-2 N,N-dimethylformamide

2A

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects: Remark: Not available

Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

US

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

(Contd. of page 7)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

1 / 75		C	
14 Trans	nort in	torma	non
17 II uits	portui	JUIIII	wii

UN-Number	
DOT, ADR, IMDG, IATA	UN2265

UN proper shipping name

DOT N,N-Dimethylformamide

ADR2265 N,N-DIMETHYLFORMAMIDEIMDG, IATAN,N-DIMETHYLFORMAMIDE

Transport hazard class(es)

DOT



Class 3 Flammable liquids Label 3

ADR



Class 3 (F1) Flammable liquids

Label 3

IMDG, IATA



Class 3 Flammable liquids Label 3

Packing group

DOT, ADR, IMDG, IATA

Environmental hazards:

Marine pollutant: No

(Contd. on page 9)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

(Contd. of page 8) Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 30 EMS Number: F-E,S-DStowage Category ATransport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **IMDG** Limited quantities (LQ) 5LCode: E1 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

68-12-2 N,N-dimethylformamide

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

68-12-2 N,N-dimethylformamide

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

68-12-2 N,N-dimethylformamide

Pennsylvania Right-to-Know List:

68-12-2 N,N-dimethylformamide

(Contd. on page 10)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: BCIP

(Contd. of page 9)

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

68-12-2 N,N-dimethylformamide

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger

Hazard-determining components of labeling:

N,N-dimethylformamide

Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph:(608)274-4330

chemicalregulatory@promega.com

(Contd. on page 11)

Reviewed on 04/06/2023 Printing date 04/06/2023

Trade name: BCIP

(Contd. of page 10)

Contact:

Date of preparation / last revision 04/06/2023

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: Internation Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids - Category 3

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 1B: Carcinogenicity - Category 1B

Toxic to Reproduction 1B: Reproductive toxicity - Category 1B





Printing date 04/06/2023 Reviewed on 04/06/2023

1 Identification

Product identifier

Trade name: Nitro-Blue Tetrazolium (NBT)

Article number: S380

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Promega Corporation 2800 Woods Hollow Road Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA

and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3

H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 1B H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to organs.



Eye Irritation 2A

H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

US ·

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

Hazard pictograms







GHS02

2 GHS07 GH

Signal word Danger

Hazard-determining components of labeling:

N, N-dimethylformamide

Nitro Blue Tetrazolium

Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

Health = 2

Fire = 3

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = *2

Fire = 3

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Irritant

Combustible

Reproductive Hazard

Primary route(s) of entry:

Dermal

(Contd. on page 3)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

(Contd. of page 2)

Inhalation

Target Organ(s):

May cause Liver damage (Hepatotoxin)

May affect Reproductive System (Mutagen, Teratogen)

May cause Kidney damage (Nephrotoxin)

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous co	omponents:	
68-12-2 N,N	N-dimethylformamide	50-75%
298-83-9 Nit	ro Blue Tetrazolium	1-5%
Additional in	formation: For the wording of the listed risk phrases refer to section 15.	

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

(Contd. on page 4)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

(Contd. of page 3)

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit. **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

68-12-2 N,N-dimethylformamide

PEL Long-term value: 30 mg/m³, 10 ppm

Skin

REL Long-term value: 30 mg/m³, 10 ppm

Skin

TLV Long-term value: 5 ppm

Skin: BEI. A3

(Contd. on page 5)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

(Contd. of page 4)

Ingredients with biological limit values:

68-12-2 N,N-dimethylformamide

BEI 30 mg/L

Medium: urine Time: end of shift

Parameter: Total N-Methylformamide (sum of N-Methylformamide and N-(Hydroxymethyl)-N-

Methylformamide

30 mg/L Medium: urine

Time: end of shift at end of workweek

Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Ensure that washing facilities are available at the work place.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Select the glove material considering penetration time, rate of diffusion and degradation time.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid

(Contd. on page 6)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

	(Contd. of page
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	58 °C (136.4 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	440 °C (824 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
	Product is not explosive. However, formation of explosive air/vap
	mixtures are possible.
Explosion limits:	
Lower:	2.2 Vol %
Upper:	15.2 Vol %
Vapor pressure at 20 °C (68 °F):	4.9 hPa (3.7 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent separation test	
Organic solvents:	66.5 %
Water:	28.5 %
VOC content:	0.00 %
Solids content:	5.0 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

- 11

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

(Contd. of page 6)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

68-12-2 N,N-dimethylformamide

 Oral
 LD50
 7,600 mg/kg (Rat)

 Dermal
 LD50
 5,000 mg/kg (Rabbit)

 Inhalative
 LC50/4 h
 9,400 mg/l (Mouse)

Primary irritant effect:

on the skin: Causes skin irritation. on the eye: Irritating effect.

Sensitization:

In case of skin contact: not sensitising In case of inhalation: not sensitising Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Harmful Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

68-12-2 N,N-dimethylformamide

2A

NTP (National Toxicology Program)

298-83-9 Nitro Blue Tetrazolium

K

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects: Remark: Not available

Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

US

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

(Contd. of page 7)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN2265
UN proper shipping name	
DOT	N,N-Dimethylformamide
ADR	2265 N,N-DIMETHYLFORMAMIDE
IMDG, IATA	<i>N,N-DIMETHYLFORMAMIDE</i>
Transport hazard class(es)	
DOT	
FLAMMARIE LIQUID	
3	
Class	3 Flammable liquids
Label	3
ADR	
3	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	III

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

	(Contd. of page
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code	(e): 30
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	f
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
· · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

68-12-2 N,N-dimethylformamide

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

68-12-2 N,N-dimethylformamide

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

68-12-2 N,N-dimethylformamide

Pennsylvania Right-to-Know List:

68-12-2 N,N-dimethylformamide

(Contd. on page 10)

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

(Contd. of page 9)

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

68-12-2 N,N-dimethylformamide

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Signal word Danger

Hazard-determining components of labeling:

N,N-dimethylformamide

Nitro Blue Tetrazolium

Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

(Contd. on page 11)

(Contd. of page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/06/2023 Reviewed on 04/06/2023

Trade name: Nitro-Blue Tetrazolium (NBT)

2800 Woods Hollow Road

Madison, WI

Ph:(608)274-4330

chemicalregulatory@promega.com

Contact:

Date of preparation / last revision 04/06/2023

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: Internation Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids - Category 3

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 1B: Carcinogenicity - Category 1B

Toxic to Reproduction 1B: Reproductive toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

US